

**SINGER**  
24W

# PRICE LIST

OF

# PARTS



# MACHINES

OF

# CLASS 24W

THE SINGER MANUFACTURING COMPANY

## INDEX

	PAGE
ACCESSORIES.....	58
BOBBIN WINDER.....	58
FEED DOGS.....	63
KNEE LIFTER PARTS.....	59
LAP SEAM FELLERS.....	77
“ “ GUIDE.....	79
MACHINE No. 24 w 1.....	7
“ “ 24 w 4.....	16
“ “ 24 w 5.....	18
“ “ 24 w 6.....	27
“ “ 24 w 10.....	28
“ “ 24 w 105.....	36
“ “ 24 w 106.....	45
“ “ 24 w 107.....	47
“ “ 24 w 108.....	56
“ “ 24 w 109.....	57
NEEDLE HOLDERS.....	64
NUMERICAL LIST OF PARTS.....	89
OBSOLETE PARTS.....	87
PRESSER FEET.....	65
“ FOLDERS.....	80
SHIRT FACING FOLDERS.....	80
STRIP REELS.....	83
SWING LAP SEAM FELLER.....	79
THREAD UNWINDER.....	60
THROAT PLATES.....	73
UNDER DRIVER.....	85

## INSTRUCTIONS FOR ORDERING

In ordering from this list, use **ONLY** the **PART** number in the **FIRST** column.

The number stamped on a Sewing Machine Part is the number of the Single Part only, except when the part includes Set Screws, Clamping Screws, Studs and Rollers Spun on, Small Wires riveted, or Parts soldered together, etc., which it is necessary to furnish in combination.

Every combination of parts sent out has its specific number which, although not stamped on Parts (except in above cases) must be used when ordering the combination.

Each number always indicates the **SAME PART** in whatever list it appears, or for whatever Machine.

The letters after some of the numbers indicate the style of finish only, as follows:

- A. Hardened, Polished and Plated.
- B. Polished and Plated.
- C. Hardened only.
- D. Polished only.
- E. Soft, not polished.
- F. Hardened and Polished.
- H. Blued.

These letters **MUST BE USED** when they appear in the list and **AFTER** the number, as in the list.

In this series

200001 to 201500 are Screw Numbers.

201501 to 201800 are Nut Numbers.

201801 to 202000 are Roller Numbers.

202001 and upward are numbers of Machine Parts.


The figures in the second column refer only to the plate in which the illustration of the part is shown and are **NOT TO BE USED** in ordering.

Two or more numbers over a cut indicate that the difference between such parts is not visible in an illustration.

Parts marked with an asterisk (\*) are furnished only when repairs are made at the factory.

## LIST OF PARTS COMPLETE

FOR



## MACHINE No. 24 w 1

DROP FEED

For Shirts, Corsets, Underwear, Corset Covers, Etc.

In gauges from  $\frac{1}{32}$  to  $\frac{3}{4}$  inch.

No.	Plate	Name	Each
*204161	—	Arm .....	\$ —
*204412	—	" 204161 with 200439c, 202036 and 204705 .....	—
204163	12305	Arm Cap .....	10
200278H	12311	" " Screw .....	05
202248H	12307	" " " Washer .....	05
200963E	12311	" Screw (3) .....	06
202005	12308	" Washer (3) .....	01
203202	12333	" Shaft .....	1 75
204705	12334	" " Bushing (front) .....	35
200439c	12311	" " " Position Screw .....	05
204440	12333	" " Connection with four 200054E (2) .....	75

## Parts for Machine No. 24 w 1

No.	Plate	Name	Each
200054E	12307	Arm Shaft Connection Screw	\$ 03
202299	—	" " Oil Packing (wick) (2)	01
204805	12333	Balance Wheel, 5½ in. diam. (belt groove 3 in. diam.), with 200328c and 200335c	1 00
200062H	12311	Balance Wheel Adjusting Screw	07
200328c	12311	" " Position Screw	04
200335c	12311	" " Set Screw	04
*213133	—	Bed	—
*214055	—	" 213133 with 202062, 203248, 203249, two each 200362c, 200516c, 200840c and 202299	—
202258	12345	Bed Hinge Connection (2)	08
200570E	12311	" " " Screw (4)	05
203329	11904	" Slide (back)	30
203301	12334	" " (front)	35
203208	12312	Bobbin (2)	05
203210	12312	" Case Base with 202056, 203211 to 203213 and 203216	55
203211	12312	Bobbin Case Base Latch	05
*202056	12312	" " " " Pin	—
203212	12312	" " " " Plunger	02
203213	12312	" " " " Spring	01
203209	12312	" " Cap with 200984E, 203214, 203215 and two 200594E	25
203214	12312	Bobbin Case Tension Spring	10
200984E	12312	" " " " Regulating Screw	04
200594E	12312	Bobbin Case Tension Spring Screw	02
203215	12312	" " Thread Guide	05
200594E	12312	" " " " Screw	02
203216	12312	" " Washer (cloth)..... Per 100	25
203217	12312	Bobbin Case complete, Nos. 203209 and 203210	80
204533	12333	Face Plate with 200366H, 204730, two each 200368H, 202090, 204281 and three 200397H	1 10
200053c	12311	Face Plate Screw	04
204730	12386	" " Thread Guide	03
200397H	12309	" " " " Set Screw	02
204874	12333	Face Plate complete, Nos. 200135c, 200319c, 200577H, 204277 to 204280, 204533, 204555, two each 200309E, 204059 and 204272	3 50
203303	12334	Feed Bar with 204189	50
203309	—	" " 203303 with 200214E, 201525E and 204200	1 00
200214E	12310	Feed Bar Hinge Screw	12
201525E	12310	" " " " Nut	03
214424	12386	" " Spring	04
204189	12306	" " " Hook	01

## Parts for Machine No. 24 w 1

No.	Plate	Name	Each
211006	12121	Feed Dog, for 211858	\$ 75
211020	12123	" " " 211019	75
211714	11905	" " " 211860	75
211732	11906	" " " 211021	60
211865	12122	" " " 211031	60
211761	11906	" " " 211025	60
211765	12104	" " " 211012	60
211769	12104	" " " 211033	75
200106E	12311	" " Screw (2)	02
200075E	11902	" " Support Screw	02
201535E	11902	" " " Nut	03
203233	12305	" Driving Cam with 200382c and 200437c	50
204192	—	Feed Driving Cam Fork Lever with 204195 and 204293	85
204193	12334	Feed Driving Cam Fork Lever Conne- tion with 200668c and 201525E	35
204194	12306	Feed Driving Cam Fork Lever Conne- tion Clamp with 200031c	45
200031c	12311	Feed Driving Cam Fork Lever Conne- tion Clamp Pinch Screw	04
200668c	12310	Feed Driving Cam Fork Lever Conne- tion Clamp Screw Stud	06
201525E	12310	Feed Driving Cam Fork Lever Conne- tion Clamp Screw Stud Nut	03
200002E	12310	Feed Driving Cam Fork Lever Conne- tion Hinge Screw	07
201522E	12310	Feed Driving Cam Fork Lever Conne- tion Hinge Screw Nut	03
*204195	—	Feed Driving Cam Fork Lever Shaft	—
*224334	—	" " " " " " Collar	—
204197	12306	" " " " " " " —224334—with 200113E	15
200113E	12308	Feed Driving Cam Fork Lever Shaft Col- lar Set Screw	03
204293	12308	Feed Driving Cam Fork Lever Shaft Position Pin	01
204196	12307	Feed Driving Cam Fork Lever Shaft Sleeve (split)	25
200043c	12311	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw	04
201524E	12310	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw Nut	03
201198	12334	Feed Driving Cam Fork Lever complete, Nos. 204192 and 204194	1 30
200437c	12311	Feed Driving Cam Position Screw	06
200382c	11902	" " " Set Screw	02
204199	12333	" " Rock Shaft	35
206554	—	" " " " 204199 with 200002E, 201522E and 204193	80



No.	Plate	Name	Each
225585E	12319	Hook Saddle Screw Washer (4).....	\$ 02
203254	12312	" Washer .....	20
203308	12335	Hook Saddle (left or right) complete, Nos. 200555H, 203241, 203254, 203290 and 203307 .....	5 25
203462	—	Hook Saddle Combination (left and right) complete, Nos. two 203308 .....	10 50
202445	11125	Knee Lifter Connection Lever with 202446 .....	07
227311	—	Knee Lifter Connection Lever 202445 with 200224H, 200262H, 227302 and 227308 .....	50
200224H	12306	Knee Lifter Connection Lever Hinge Screw .....	12
227308	11125	Knee Lifter Connection Lever Lifting Rod with 202302 .....	05
202302	12321	Knee Lifter Connection Lever Lifting Rod Cotter Pin .....	01
202446	12306	Knee Lifter Connection Lever Pin .....	03
227302	11125	" " Lifting Lever .....	10
200262H	12306	" " " " Hinge Screw .....	10
231390	11904	Needle Bar (hollow) .....	80
204248	12307	" " Connecting Link .....	35
200658C	12307	" " " " Hinge Screw Stud .....	10
201519C	12307	Needle Bar Connecting Link Hinge Screw Stud Nut .....	03
204249	12308	Needle Bar Connecting Stud with 200072C and 202277 .....	40
202277	—	Needle Bar Connecting Stud Oil Packing (wick) .....	01
200072C	12308	Needle Bar Connecting Stud Pinch Screw .....	03
204326	12338	Needle Bar Packing Cord (2) ... Per 100	25
200504E	12310	" " Screw Bushing (lower) ....	05
200503B	12310	" " " " (upper) .....	05
231388	11903	Needle Holder, needles $\frac{3}{16}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{1}{4}$ in., with 201030F and two 200141F .....	1 00
231383	11903	Needle Holder, in gauges from $\frac{1}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 201030F and two 200141F .....	1 25
231385	11903	Needle Holder, in gauges from $\frac{1}{16}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{16}$ in., with 201030F and two 200141F .....	1 50
201030F	11903	Needle Holder Screw .....	02
200141F	11903	" Set Screw .....	02
204251	12334	Presser Bar (hollow) with 200074F.....	80
204252	12308	" " Lifter .....	20

No.	Plate	Name	Each
200550C	12311	Presser Bar Lifter Hinge Screw.....	\$ 08
204253	12308	" " Lifting Bracket with 200086C	40
200086C	12308	" " " " Pinch Screw..	03
204254	12307	" " " " Position Guide	30
200362C	12311	" " " " " "	
		Set Screw .....	03
204327	12306	Presser Bar Packing Washer (felt) ..... Per 100	25
200504E	12310	Presser Bar Screw Bushing (lower)....	05
204255	12310	" " Spring .....	10
200491B	12305	" " Thumb Screw (pressure reg- ulating) .....	25
229092	13085	Presser Foot, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{1}{4}$ inch .....	75
229102	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ inch .....	75
229103	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch	75
229104	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ inch.....	75
229105	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ and $\frac{1}{8}$ inch	85
229106	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	85
229107	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{2}$ inch..	85
200074F	12308	Presser Foot Screw .....	03
212920	—	Take-up Cam with 200335C and 200430C..	1 35
203268	12334	" " 212920 with 200335C, 200658C and 201519C .....	1 50
203172	12307	Take-up Cam Friction Washer .....	05
200430C	12311	" " Position Screw .....	08
200383C	12311	" " " " Check Screw.	02
200335C	12311	" " Set Screw .....	04
204553	12386	" Lever with 204265 .....	75
206601	—	" " 204553 with 204263 .....	90
204263	12310	" " Bearing with 204264 .....	15
204264	12306	" " " Position Pin .....	01
200042F	12311	" " " Screw .....	05
204265	—	" " Oil Guard .....	05
201816	12307	" " Roller .....	12
204554	12386	Take-up Lever complete, Nos. 200042F, 201816 and 206601 .....	1 00
202402	12309	Tension Disc .....	05
202090	12309	" " Position Pin .....	01
204555	12338	" Release Lever .....	10



# MACHINE No. 24 w 4

## DROP FEED

For Overalls, Duck Coats, Canvas, Etc.

In gauges from  $\frac{1}{8}$  to  $\frac{3}{4}$  inch.

The same as Machine No. 24 w 1 with the following exceptions:

No.	Plate	Name	Each
211865	12122	Feed Dog, for 211912 .....	\$ 60
211762	11906	" " " 211026 .....	60
211766	12104	" " " 211013 .....	60
211770	12104	" " " 211034 .....	75
204258	12386	Presser Bar Spring (heavy), in place of 204255 .....	10
230795	11902	Presser Foot Hinge Pin .....	01
229171	—	" " Plate, for 229172 .....	1 00
229173	—	" " " " 229174 .....	1 00
229175	—	" " " " 229176 .....	1 00
229177	—	" " " " 229178 .....	1 10
229179	—	" " " " 229180 .....	1 10
202923	—	" " Shank .....	60
229172	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{4}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229171 and 230795 .....	1 75
229174	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{3}{4}$ , $\frac{13}{16}$ and $\frac{7}{8}$ in., Nos. 202923, 229173 and 230795 .....	1 75
229176	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{1}{2}$ , $\frac{13}{16}$ and $\frac{3}{4}$ in., Nos. 202923, 229175 and 230795 .....	1 75
229178	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ and $\frac{3}{4}$ in., Nos. 202923, 229177 and 230795 .....	1 85
229180	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{1}{2}$ , $\frac{13}{16}$ and $\frac{3}{4}$ in., Nos. 202923, 229179 and 230795 .....	1 85
211912	12122	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211865 .....	1 25

No.	Plate	Name	Each
211026	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ , $\frac{3}{8}$ , $\frac{13}{16}$ and $\frac{5}{8}$ in., for 211762 .....	\$ 1 25
211013	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ and $\frac{13}{16}$ in., for 211766 .....	1 25
211034	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{4}$ in. gauge, for 211770 .....	1 50



## LIST OF PARTS COMPLETE

FOR

**MACHINE No. 24 w 5**

DROP FEED. ALTERNATING PRESSERS

For Shirts, Corsets, Underwear, Etc.

In gauges from  $\frac{1}{16}$  to  $\frac{3}{8}$  inch.

No.	Plate	Name	Each
*204471	—	Arm .....	\$ —
*204417	—	" 204471 with 200439c, 202036 and 204705 .....	—
204163	12305	Arm Cap .....	10
200278H	12311	" " Screw .....	05
202248H	12307	" " Washer .....	05
200963E	12311	" Screw (3) .....	06
202005	12308	" " Washer (3) .....	01
213001	11901	" Shaft .....	1 85
204705	12334	" " Bushing (front) .....	35
200439c	12311	" " " Position Screw .....	05
204440	12333	" " Connection with four 200054E (2) .....	75
200054E	12307	Arm Shaft Connection Screw .....	03
202299	—	" " Oil Packing (wick) (2) .....	01
204805	12333	Balance Wheel, 5 $\frac{1}{2}$ in. diam. (belt groove 3 in. diam.), with 200328c and 200335c	1 00
200062H	12311	Balance Wheel Adjusting Screw .....	07
200328c	12311	" " Position Screw .....	01
200335c	12311	" " Set Screw .....	04
*213133	—	Bed .....	—
*214055	—	" 213133 with 202062, 203218, 203219, two each 200362c, 200516e, 200810e and 202299 .....	—
202258	12345	Bed Hinge Connection (2) .....	08
200570E	12311	" " " Screw (4) .....	35
203329	11904	" Slide (back) .....	30
203301	12334	" " (front) .....	35
203208	12312	Bobbin (2) .....	05
203210	12312	" Case Base with 202056, 203211 to 203213 and 203216 .....	55
203211	12312	Bobbin Case Base Latch .....	05
*202056	12312	" " " " Pin .....	—

No.	Plate	Name	Each
203212	12312	Bobbin Case Base Latch Plunger.....	\$ 02
203213	12312	" " " Spring .....	01
203209	12312	" " Cap with 200984E, 203214, 203215 and two 200594E .....	25
203214	12312	Bobbin Case Tension Spring .....	10
200984E	12312	" " " " Regulating Screw .....	94
200594E	12312	Bobbin Case Tension Spring Screw ....	02
203215	12312	" " Thread Guide .....	05
200594E	12312	" " " " Screw .....	02
203216	12312	" " Washer (cloth) ...Per 100	25
203217	12312	Bobbin Case complete, Nos. 203209 and 203210 .....	80
213746	11901	Face Plate with 200366H, 202087, 204730, two each 200368H, 202090, 204281 and three 200397H .....	1 10
200053c	12311	Face Plate Screw .....	04
204730	12386	" " Thread Guide .....	03
200397H	12309	" " " " Set Screw.....	02
213747	11901	Face Plate complete, Nos. 200577H, 202088, 203766, 204280, 213746, two each 200309e, 204059 and 204272 .....	3 50
203303	12331	Feed Bar with 204189 .....	50
203309	—	" " 203303 with 200214e, 201525E and 204200 .....	1 00
200214E	12310	Feed Bar Hinge Screw .....	12
201525E	12310	" " " " Nut .....	03
214421	12386	" " Spring .....	04
204189	12306	" " Hook .....	01
211006	12121	" Dog, for 211858 .....	75
211020	12123	" " " 211019 .....	75
211714	11905	" " " 211860 .....	75
211732	11906	" " " 211021 .....	60
211865	12122	" " " 211031 .....	60
211761	11906	" " " 211025 .....	60
211765	12101	" " " 211012 .....	60
211769	12101	" " " 211033 .....	75
200106E	12311	" " Screw (2) .....	02
200075E	11902	" " Support Screw .....	02
201535E	11902	" " " " Nut.....	03
203233	12305	" Driving Cam with 200382c and 200437c .....	50
204192	—	Feed Driving Cam Fork Lever with 204195 and 204293 .....	85
204193	12334	Feed Driving Cam Fork Lever Conne- ction with 200668c and 201525e.....	35
204194	12306	Feed Driving Cam Fork Lever Conne- ction Clamp with 200031c .....	45
200031c	12311	Feed Driving Cam Fork Lever Conne- ction Clamp Pinch Screw .....	04

No.	Plate	Name	Each
200668c	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud	\$ 06
201525E	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud Nut	03
200002E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw	07
201522E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw Nut	03
*204195	---	Feed Driving Cam Fork Lever Shaft	---
*224334	---	" " " " " " Collar	---
204197	12306	" " " " " " "	---
		<del>224334</del> with 200113E	15
200113E	12308	Feed Driving Cam Fork Lever Shaft Collar Set Screw	03
204293	12308	Feed Driving Cam Fork Lever Shaft Position Pin	01
204196	12307	Feed Driving Cam Fork Lever Shaft Sleeve (split)	25
200043c	12311	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw	04
201524E	12310	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw Nut	03
204198	12334	Feed Driving Cam Fork Lever complete, Nos. 204192 and 204194	1 30
200437c	12311	Feed Driving Cam Position Screw	06
200382c	11902	" " " Set Screw	02
204199	12333	" " Rock Shaft	35
206554	---	" " " " 204199 with 200002E, 201522E and 204193	80
202305c	12307	Feed Driving Rock Shaft Center (2)	06
200043c	12311	" " " " " Set Screw (2)	04
204200	12305	Feed Driving Rock Shaft Crank with 204189 (on left side) and two 200383c	35
200383c	12311	Feed Driving Rock Shaft Crank Set Screw	02
203235	12308	Feed Lifting Cam with 202126	75
204202	12308	" " " Fork with 200027E	75
200027E	12310	" " " " Pinch Screw	04
202126	12308	" " " Position Pin	01
200045c	12310	" " " Screw	03
203305	12334	" " Rock Shaft	30
203315	12334	" " " " 203305 with 203238	65
202305c	12307	" " " " Center (2)	06
200013c	12311	" " " " " Set Screw (2)	04
202276	12308	Feed Lifting Rock Shaft Slide Block	15
203238	12308	" " " " " "	---
		202276 with 200243E and 201531E	35

No.	Plate	Name	Each
200213E	12310	Feed Lifting Rock Shaft Slide Block Hinge Screw	\$ 08
201531E	12308	Feed Lifting Rock Shaft Slide Block Hinge Screw Nut	03
204206	12306	Feed Regulating Handle	10
204207	11904	" " " 204206 with 200098E, 202622, 204208 to 204210 and 204213	55
204208	12307	Feed Regulating Handle Adjustable Stop	05
200098E	12307	" " " " " Screw	03
204209	12307	Feed Regulating Handle Position Pin	01
204210	12306	" " " Shaft	20
204211	12306	" " " " Crank with 200078E	20
204212	12307	Feed Regulating Handle Shaft Crank Link	15
200271E	12311	Feed Regulating Handle Shaft Crank Link Hinge Screw (lower)	05
200291E	12307	Feed Regulating Handle Shaft Crank Link Hinge Screw (upper)	05
200078E	12307	Feed Regulating Handle Shaft Crank Set Screw	03
204213	12307	Feed Regulating Handle Shaft Sleeve (split)	15
200362c	12311	Feed Regulating Handle Shaft Sleeve Set Screw	03
202622	12306	Feed Regulating Handle Shaft Sleeve Washer	01
202036	12310	Feed Regulating Handle Stop Pin	01
204211	---	Feed Regulating Handle complete, Nos. 200291E, 204207, 204211 and 204212	95
*203239	---	Hook (sewing)	---
203240	12312	" 203239 with 200600E, 200616E and 203251	2 20
203290	12312	Hook and Bobbin Case complete, Nos. 203217 and 203240	3 00
203211	12312	Hook Bevel Gear Socket, 24 teeth	85
200555H	12312	" " " " Screw	05
203242	12305	" " Pinion, 24 teeth, with two 200383c (2)	1 00
200383c	12311	Hook Bevel Pinion Set Screw	02
203306	12333	" Counter Shaft	45
203244	12308	" " " Collar with two 200393c	20
200393c	12308	Hook Counter Shaft Collar Set Screw	02
203245	11902	" " " Driving Gear, 11 teeth, with 200362c and 200439c	1 00
213151	12305	Hook Counter Shaft Driving Gear 203245 with 200045c and 203235	1 80

No.	Plate	Name	Each
200439c	12311	Hook Counter Shaft Driving Gear Position Screw .....	\$ 05
200362c	12311	Hook Counter Shaft Driving Gear Set Screw .....	03
203246	12305	Hook Counter Shaft Gear, 22 teeth, with two 200383c .....	75
200383c	12311	Hook Counter Shaft Gear Set Screw .....	02
202299	—	" " " Oil Packing (wick) .....	01
200840E	12311	" " " " " " Stop Screw .....	10
203247	12333	Hook Driving Shaft .....	1 60
203248	12334	" " " Bearing with 202299 .....	20
202299	—	" " " " Oil Packing (wick) .....	01
202126	12308	Hook Driving Shaft Bearing Position Pin .....	01
200516E	12311	" " " " Screw .....	08
203249	12305	" " " Bushing (eccentric) .....	25
202299	—	" " " " Oil Packing (wick) .....	01
200362c	12311	Hook Driving Shaft Bushing Set Screw .....	03
213141	11902	" " " Collar with two 200393c .....	20
200393c	12308	Hook Driving Shaft Collar Set Screw .....	02
203251	12312	" Gib .....	40
200600F	12312	" " Hinge Screw .....	02
200616F	12312	" " Screw .....	02
203307	12335	" Saddle (left or right) with 202299 .....	1 25
202299	—	" " Oil Packing (wick) .....	01
200006E	12307	" " Screw (4) .....	07
225585E	12319	" " Washer (4) .....	02
203254	12312	" Washer .....	20
203308	12335	Hook Saddle (left or right) complete, Nos. 200555H, 203241, 203254, 203290 and 203307 .....	5 25
203462	—	Hook Saddle Combination (left and right) complete, Nos. two 203308 .....	10 50
202445	11125	Knee Lifter Connection Lever with 202416 .....	07
227311	—	Knee Lifter Connection Lever 202445 with 200224H, 200262H, 227302 and 227308 .....	50
200224H	12306	Knee Lifter Connection Lever Hinge Screw .....	12
227308	11125	Knee Lifter Connection Lever Lifting Rod with 202302 .....	05
202302	12321	Knee Lifter Connection Lever Lifting Rod Cotter Pin .....	01
202446	12306	Knee Lifter Connection Lever Pin .....	03
227302	11125	" " Lifting Lever .....	10
200262H	12306	" " " " Hinge Screw .....	10

No.	Plate	Name	Each
201475	10483	Lifting Lever with 200122H .....	\$ 1 00
208389	—	" " " 204475 with 200935F, 204531E, 204478 and 206659 .....	2 40
213004	11902	Lifting Lever Driving Crank .....	80
204478	10483	" " " " Link .....	40
200122H	10483	" " " " " Stop Screw .....	03
200400c	11902	Lifting Lever Driving Crank Position Screw .....	01
200387c	11902	Lifting Lever Driving Crank Position Screw Set Screw .....	02
204479	11902	Lifting Lever Driving Crank Position Screw Set Screw Packing (brass) .....	01
200481D	10483	Lifting Lever Stop Screw .....	03
204480	10483	" " Stud Lifting Bracket with 200086c and 200481D .....	75
208390	—	Lifting Lever Stud Lifting Bracket 204480 with 208389 .....	2 85
200086c	12308	Lifting Lever Stud Lifting Bracket Pinch Screw .....	03
222301	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206675 .....	1 50
229641	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206671 .....	2 00
229642	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{5}{16}$ in., for 206661 .....	2 00
229650	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 229651 .....	2 00
229652	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{5}{8}$ in., in steps of $\frac{1}{16}$ in., for 229653 .....	2 50
229654	14068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{3}{8}$ in., for 229655 .....	3 00
200074F	12308	Lifting Presser Foot Screw .....	03
231390	11901	Needle Bar (hollow) .....	86
204481	10483	" " Connecting Link with 200488c .....	50
200488c	10483	Needle Bar Connecting Link Pinch Screw .....	02
204249	12308	Needle Bar Connecting Stud with 200072c and 202277 .....	40
202277	—	Needle Bar Connecting Stud Oil Packing (wick) .....	01

No.	Plate	Name	Each
200072c	12308	Needle Bar Connecting Stud Pinch Screw .....	\$ 03
201326	12338	Needle Bar Packing Cord (21..... Per 100)	25
200504E	12310	" " Screw Bushing (lower) ....	05
200503B	12310	" " " " (upper) .....	05
231388	11903	Needle Holder, needles $\frac{3}{16}$ in. apart and must be set diagonally, in gauges $\frac{3}{16}$ , $\frac{5}{16}$ and $\frac{7}{16}$ in., with 201030E and two 200141E .....	1 00
231383	11903	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., with 201030E and two 200141E .....	1 25
231385	11903	Needle Holder, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., with 201030E and two 200141E .....	1 50
201030E	11903	Needle Holder Screw .....	02
200141E	11903	" Set Screw .....	02
204251	12334	Presser Bar (hollow) with 200071E.....	80
204252	12308	" " Lifter .....	20
200550c	12311	" " " Hinge Screw .....	08
204481	11902	" " Lifting Bracket Position Guide .....	35
200362c	12311	Presser Bar Lifting Bracket Position Guide Set Screw .....	03
204327	12306	Presser Bar Packing Washer (fold) .....	Per 100
200504E	12310	Presser Bar Screw Bushing (lower)....	05
204482	11902	" " Spring .....	15
200491B	12305	" " Thumb Screw (pressure regulating) .....	25
201506B	11902	Presser Bar Thumb Screw Check Nut	06
213925	11904	Take-up Cam with 200347c, 200383c, 200387c, 200400c, 200430c and 204179	1 75
203172	12307	Take-up Cam Friction Washer .....	05
200430c	12311	" " Position Screw .....	08
200383c	12311	" " " " Check Screw .....	02
200347c	12321	" " Set Screw .....	03
213005	11901	Take-up Cam complete, Nos. 204181, 213004 and 213925 .....	3 00
204553	12386	Take-up Lever with 204265 .....	75
206601	—	" " 204553 with 204263 .....	90
204263	12310	" " Bearing with 204264.....	15
204264	12306	" " " Position Pin ....	01
200042E	12311	" " " Screw .....	05
204265	—	" " Oil Guard .....	05
201816	12307	" " Roller .....	12
204551	12386	Take-up Lever complete, Nos. 200042E, 201816 and 206601 .....	1 00
202402	12309	Tension Disc .....	05
202090	12309	" " Position Pin .....	01

No.	Plate	Name	Each
203766	11903	Tension Release Lever .....	\$ 10
200309E	12309	" " " Screw .....	01
202075	12309	" " Plunger .....	03
215609	—	" " Slide .....	18
204268	12310	" " " 215609 with 204269	20
204269	12308	" " " Spring .....	02
202407	12309	" Spring .....	05
200632B	12309	" Stud .....	20
200397B	12309	" " Set Screw .....	02
204572B	12309	" Thumb Nut .....	04
204271	12309	" Washer .....	05
204272	12309	Tension complete, Nos. 200632B, 204572B, 202075, 202407, 204271 and two 202402	50
204271	12309	Thread Controller Plate .....	12
200577B	12311	" " " Screw .....	02
202098	12309	" " Roller .....	05
204275	12309	" " " Guard .....	10
202084	12309	" " " Washer .....	04
200300c	12309	" " " Screw .....	04
204276	12309	" " Spring .....	03
204333	12309	" " " Guard .....	08
200581B	12309	" " " Screw .....	02
202087	11903	" " " Stop .....	03
202088	10483	" " " Stud with 204925....	10
200366B	11902	" " " " Set Screw ....	02
204925	12306	" " " Washer .....	04
205987	12309	Thread Controller complete, Nos. 200300c, 200581B, 202084, 202098, 204274, 204275 and 204333 .....	42
204280	12309	Thread Controller and Spring complete, Nos. 204276 and 205987 .....	45
204556	12386	Thread Guide .....	05
203313	12386	" " .....	10
204281	12309	" Retainer Guide Wire .....	01
202091	12309	" " Sleeve .....	05
202092	12309	" " Spring .....	01
204058B	12309	" " Stud .....	07
200368B	12309	" " " Set Screw .....	02
204059	12309	Thread Retainer complete, Nos. 202091, 202092 and 204058B .....	15
211858	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{5}{16}$ and $\frac{7}{16}$ in., for 214006....	1 50
214019	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{5}{16}$ in., for 214020 .....	1 50
211860	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in $\frac{5}{16}$ in. gauge, for 214744	1 25

No.	Plate	Name	Each
211021	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ , $1$ , $\frac{11}{8}$ and $\frac{5}{4}$ in., for 211732 .....	\$ 1 25
211031	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{11}{8}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 .....	1 25
211025	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{11}{8}$ , $\frac{3}{2}$ , $\frac{13}{8}$ and $\frac{5}{4}$ in., for 211761 .....	1 25
211012	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{11}{8}$ and $\frac{13}{8}$ in., for 211765 .....	1 25
211033	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{2}$ and $\frac{7}{4}$ in., for 211769 .....	1 50
200161b	12319	Throat Plate Clamp Screw .....	04
202062	12308	" " Position Pin .....	01
200577a	12311	" " Screw .....	02
206660	-----	Vibrating Presser Bar .....	45
206659	11902	" " " 206660 with 201493 and two 200138b .....	60
200935e	11903	Vibrating Presser Bar Hinge Screw ....	08
201534e	11902	" " " " " Nut .....	03
229838	11902	" " " " Position Stop .....	50
200053c	12311	" " " " " " Screw .....	01
204493	11902	Vibrating Presser Bar Spring .....	10
200138b	11902	" " " " " Screw .....	02
206675	11839	" " " " Foot, for 222301 .....	1 00
206671	11839	" " " " " 229641 .....	1 50
206661	11839	" " " " " 229642 .....	1 50
229651	14067	" " " " " 229650 .....	1 50
229653	14067	" " " " " 229652 .....	1 50
229655	14068	" " " " " 229654 .....	2 00
200098f	12307	" " " " " Screw .....	03
203357	11902	" " " " " Washer .....	01

## MACHINE No. 24 w 6

DROP FEED. ALTERNATING PRESSERS

For Tailoring

In gauges from  $\frac{1}{4}$  to  $\frac{3}{4}$  inch.

The same as Machine No. 21 w 5 with the following exceptions:

No.	Plate	Name	Each
211032	12122	Throat Plate, 16 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 .....	\$ 1 25
211026	12123	Throat Plate, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{8}$ , $\frac{3}{2}$ , $\frac{13}{8}$ and $\frac{5}{4}$ in., for 211761 .....	1 25
211013	12123	Throat Plate, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{8}$ and $\frac{13}{8}$ in., for 211765 .....	1 25
211031	11905	Throat Plate, 16 needle hole, for needle sizes 5 to 7, in $\frac{3}{4}$ in. gauge, for 211769 .....	1 50

## LIST OF PARTS COMPLETE

FOR

## MACHINE No. 24 w 10

DROP FEED

For Shirts, Corsets, Underwear, Corset Covers, Etc.

In gauges from  $\frac{1}{8}$  to  $\frac{3}{8}$  inch.

No.	Plate	Name	Each
*201161	—	Arm .....	\$ —
*204412	—	" 204161 with 200439c, 202036 and 201705 .....	—
204163	12305	Arm Cap .....	10
200278n	12311	" " Screw .....	05
202248n	12307	" " Washer .....	05
200963E	12311	" Screw (3) .....	06
202005	12308	" Washer (3) .....	01
203202	12333	" Shaft .....	1 75
201705	12334	" Bushing (front) .....	35
200439c	12311	" " Position Screw .....	05
204440	12333	" " Connection with four 200054E (2) .....	75
200054E	12307	Arm Shaft Connection Screw .....	03
202299	—	" Oil Packing (wick) (2) .....	01
204805	12333	Balance Wheel, 5 $\frac{1}{4}$ in. diam. (belt groove 3 in. diam.), with 200328c and 200335c .....	1 00
200062n	12311	Balance Wheel Adjusting Screw .....	07
200328c	12311	" " Position Screw .....	04
200335c	12311	" " Set Screw .....	01
*213133	—	Bed .....	—
*214055	—	" 213133 with 202062, 203248, 203249, two each 200362c, 200516E, 200840E and 202299 .....	—
202258	12345	Bed Hinge Connection (2) .....	08
200570E	12311	" " Screw (4) .....	05
203329	11904	" Slide (back) .....	30
203301	12334	" " (front) .....	35
203470	11903	Bobbin (2) .....	06
*203498	—	" Case .....	—
203648	11903	" " Latch .....	10
*202056	12312	" " Pin .....	—
203473	11903	" " Plunger .....	10
203474	11903	" " Spring .....	01
203499	11235	Bobbin Case Lever .....	\$ 60
203476	—	" " Eccentric .....	30
204213	11903	" " Position Pin .....	01
203506	11235	" " Fulcrum .....	10
200066D	11235	" " Screw .....	03
203478	11235	" " Slide Stud .....	10
203211	12312	" " Tension Spring .....	10
200984E	12312	" " " " Regulating Screw .....	04
200594E	12312	Bobbin Case Tension Spring Screw .....	02
203216	12312	" " Washer (cloth) .... Per 100	25
202500	11235	Bobbin Case complete, Nos. 200594E, 200984E, 202056, 203214, 203216, 203473, 203474, 203498 and 203648 .....	1 00
204533	12333	Face Plate with 200366n, 204730, two each 200368n, 202090, 204284 and three 200397n .....	1 10
200053c	12311	Face Plate Screw .....	01
204730	12386	" " Thread Guide .....	03
200397n	12309	" " " " Set Screw .....	02
204874	12333	Face Plate complete, Nos. 200435c, 200319c, 200577n, 204277 to 204280, 204533, 204555, two each 200309E, 204059 and 204272 .....	3 50
203303	12334	Feed Bar with 204189 .....	50
203309	—	" " 203303 with 200244E, 204525E and 204200 .....	1 00
200211E	12310	Feed Bar Hinge Screw .....	12
204525E	12310	" " " " Nut .....	03
214424	12386	" " Spring .....	01
204189	12306	" " Hook .....	01
211714	11905	" Dog, for 212051 and 212090 .....	75
211732	11906	" " 212053 .....	60
211865	12122	" " 212061 .....	60
211761	11906	" " 212061 .....	60
211765	12104	" " 212067 .....	60
200406E	12311	" " Screw (2) .....	02
200075E	11902	" " Support Screw .....	02
201535E	11902	" " " Nut .....	03
203233	12305	" Driving Cam with 200382c and 200437c .....	50
204192	—	Feed Driving Cam Fork Lever with 204495 and 204293 .....	85
204193	12334	Feed Driving Cam Fork Lever Conne- ction with 200668c and 204525E .....	35
204194	12306	Feed Driving Cam Fork Lever Conne- ction Clamp with 200031E .....	45
200031E	12311	Feed Driving Cam Fork Lever Conne- ction Clamp Pinch Screw .....	04

No.	Plate	Name	Each
20066Sc	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud .....	\$ 06
201525E	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud Nut .....	03
200002E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw .....	07
201522E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw Nut .....	03
*204195	—	Feed Driving Cam Fork Lever Shaft .....	—
<del>*204194</del>	—	" " " " " " Collar .....	—
204197	12306	" " " " " " " .....	—
		-224334- with 200413E .....	15
200413E	12308	Feed Driving Cam Fork Lever Shaft Collar Set Screw .....	03
204293	12308	Feed Driving Cam Fork Lever Shaft Position Pin .....	01
204196	12307	Feed Driving Cam Fork Lever Shaft Sleeve (split) .....	25
200043c	12311	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw .....	04
201524E	12310	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw Nut .....	03
204198	12334	Feed Driving Cam Fork Lever complete, Nos. 204192 and 204194 .....	1 30
200437c	12311	Feed Driving Cam Position Screw .....	06
200382c	11902	" " " Set Screw .....	02
204199	12333	" " Rock Shaft .....	35
206554	—	" " " " 204199 with 200002E, 201522E and 204193 .....	80
202305c	12307	Feed Driving Rock Shaft Center (2) .....	06
200043c	12311	" " " " " Set Screw (2) .....	04
204200	12305	Feed Driving Rock Shaft Crank with 204189 (on left side) and two 200383c .....	35
200383c	12311	Feed Driving Rock Shaft Crank Set Screw .....	02
203235	12308	Feed Lifting Cam with 202126 .....	75
204202	12308	" " " Fork with 200027E .....	75
200027E	12310	" " " " Pinch Screw .....	04
202126	12308	" " " Position Pin .....	01
200045c	12310	" " " Screw .....	03
203305	12334	" " Rock Shaft .....	30
203315	12334	" " " " 203305 with 203238 .....	65
202305c	12307	Feed Lifting Rock Shaft Center (2) .....	06
200043c	12311	" " " " " Set Screw (2) .....	04
202276	12308	Feed Lifting Rock Shaft Slide Block .....	15
203238	12308	" " " " " " .....	—
		202276 with 200243E and 201531E .....	35

No.	Plate	Name	Each
200243E	12310	Feed Lifting Rock Shaft Slide Block Hinge Screw .....	\$ 08
201531E	12308	Feed Lifting Rock Shaft Slide Block Hinge Screw Nut .....	03
204206	12306	Feed Regulating Handle .....	10
204207	11904	" " " 204206 with 200098E, 202622, 204208 to 204210 and 204213 .....	55
204208	12307	Feed Regulating Handle Adjustable Stop .....	05
200098E	12307	" " " " " " Screw .....	03
204209	12307	Feed Regulating Handle Position Pin .....	01
204210	12306	" " " Shaft .....	20
204211	12306	" " " " Crank with 200078E .....	20
204212	12307	Feed Regulating Handle Shaft Crank Link .....	15
200271E	12311	Feed Regulating Handle Shaft Crank Link Hinge Screw (lower) .....	05
200291E	12307	Feed Regulating Handle Shaft Crank Link Hinge Screw (upper) .....	05
200078E	12307	Feed Regulating Handle Shaft Crank Set Screw .....	03
204213	12307	Feed Regulating Handle Shaft Sleeve (split) .....	15
200362c	12311	Feed Regulating Handle Shaft Sleeve Set Screw .....	03
202622	12306	Feed Regulating Handle Shaft Sleeve Washer .....	01
202036	12310	Feed Regulating Handle Stop Pin .....	01
204214	—	Feed Regulating Handle complete, Nos. 200291E, 204207, 204211 and 204212 .....	95
*203511	—	Hook (sewing) .....	—
203512	11235	" 203511 with 203513 and two 200616E .....	2 20
203514	11235	Hook and Bobbin Case complete, Nos. 203500 and 203512 .....	3 00
213810	11903	Hook Bevel Gear Socket, 24 teeth .....	85
200555H	12312	" " " Screw .....	05
203242	12305	" " Pinion, 24 teeth, with two 200383c (2) .....	1 00
200383c	12311	Hook Bevel Pinion Set Screw .....	02
203306	12333	" Counter Shaft .....	45
203244	12308	" " " Collar with two 200393c .....	20
200393c	12308	Hook Counter Shaft Collar Set Screw .....	02
203245	11902	" " " Driving Gear, 44 teeth, with 200362c and 200439c .....	1 00
213151	12305	Hook Counter Shaft Driving Gear 203245 with 200045c and 203235 .....	1 80






No.	Plate	Name	Each
229107	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ inch. . . . .	\$ 85
200074F	12308	Presser Foot Screw . . . . .	35
212920	—	Take-up Cam with 200335c and 200430c. . . . .	1 35
203268	12334	" " 212920 with 200383c, 200658c and 201519c . . . . .	1 50
203172	12307	Take-up Cam Friction Washer . . . . .	65
200430c	12311	" " Position Screw . . . . .	08
200383c	12311	" " " " Check Screw . . . . .	02
200335c	12311	" " Set Screw . . . . .	04
204553	12386	" Lever with 204265 . . . . .	75
206601	—	" " 204553 with 204263 . . . . .	90
204263	12310	" " Bearing with 204264 . . . . .	15
204264	12306	" " Position Pin . . . . .	01
200042F	12311	" " " Screw . . . . .	05
204265	—	" " Oil Guard . . . . .	95
201816	12307	" " Roller . . . . .	12
204554	12386	Take-up Lever complete, Nos. 200042F, 201816 and 206601 . . . . .	1 00
202402	12309	Tension Disc . . . . .	05
202090	12309	" " Position Pin . . . . .	01
204555	12338	" Release Lever . . . . .	10
200309E	12309	" " " Screw . . . . .	04
202075	12309	" " Plunger . . . . .	63
215609	—	" " Slide . . . . .	18
204268	12310	" " " 215609 with 204269. . . . .	20
204269	12308	" " " Spring . . . . .	02
202407	12309	" Spring . . . . .	05
200632B	12309	" Stud . . . . .	20
200397H	12309	" " Set Screw . . . . .	02
201572B	12309	" Thumb Nut . . . . .	04
204271	12309	" Washer . . . . .	05
204272	12309	Tension complete, Nos. 200632c, 201572B, 202075, 202407, 204271 and two 202402. . . . .	50
<del>215610</del>	—	Thread Controller Adjusting Collar. . . . .	10
204273	12308	" " " " 215610 with 200684H, (for Presser Bar) . . . . .	15
200684H	12308	Thread Controller Adjusting Collar Screw . . . . .	04
204274	12309	" " Plate . . . . .	12
200577H	12311	" " " Screw . . . . .	02
202098	12309	" " Roller . . . . .	05
204275	12309	" " " Guard . . . . .	10
202084	12309	" " " Washer . . . . .	01
200300c	12309	" " " Screw . . . . .	04
204276	12309	" " Spring . . . . .	03
204333	12309	" " Guard . . . . .	08
200581H	12309	" " " Screw . . . . .	02
204277	12309	" " " Stop . . . . .	15
204278	12309	" " " " Driving Gear . . . . .	10

No.	Plate	Name	Each
200319c	12309	Thread Controller Spring Stop Driving Gear Hinge Screw . . . . .	\$ 04
200135c	12309	Thread Controller Spring Stop Screw. . . . .	03
204279	12309	" " " Stud with 204925 . . . . .	10
200366H	11902	" " " " Set Screw . . . . .	02
204925	12306	" " " " Washer. . . . .	01
205987	12309	Thread Controller complete, Nos. 200300c, 200581H, 202084, 202098, 204274, 204275 and 204333 . . . . .	42
204280	12309	Thread Controller and Spring complete, Nos. 204276 and 205987 . . . . .	45
203313	12386	Thread Guide . . . . .	10
204556	12386	" " . . . . .	05
204281	12309	" Retainer Guide Wire . . . . .	01
202091	12309	" " Sleeve . . . . .	05
202092	12309	" " Spring . . . . .	01
204958B	12309	" " Stud . . . . .	07
200368H	12309	" " " Set Screw . . . . .	02
204959	12309	Thread Retainer complete, Nos. 202091, 202092 and 204958B . . . . .	15
212090	11905	Throat Plate, 53 needle hole, for needle sizes 4 to 3 $\frac{1}{2}$ , in $\frac{1}{4}$ in. gauge, for 211714 . . . . .	1 25
212051	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in $\frac{3}{16}$ in. gauge, for 211714 . . . . .	1 25
212053	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{3}{8}$ in., for 211732 . . . . .	1 25
212061	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{11}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 . . . . .	1 25
212064	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{11}{16}$ , $\frac{3}{4}$ , $\frac{13}{16}$ and $\frac{1}{2}$ in., for 211761 . . . . .	1 25
212067	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{11}{16}$ in., for 211765 . . . . .	1 25
200161D	12319	Throat Plate Clamp Screw . . . . .	04
202062	12308	" " Position Pin . . . . .	01
200577H	12311	" " Screw . . . . .	02

LIST OF PARTS COMPLETE

FOR



MACHINE No. 24 w 105

DROP FEED

For Shirts, Corsets, Underwear, Corset Covers, Etc.  
In gauges from  $\frac{1}{16}$  to  $\frac{1}{4}$  inch.

No.	Plate	Name	Each
*204290	—	Arm .....	\$ —
*204413	—	" 204290 with 200439c, 202036 and 204705 .....	—
204163	12305	Arm Cap .....	10
200278H	12311	" " Screw .....	05
202248H	12307	" " Washer .....	05
200963E	12311	" Screw (3) .....	06
202005	12308	" " Washer (3) .....	01
213622	12333	" Shaft .....	2 00
204705	12334	" " Bushing (front) .....	35
200439c	12311	" " Position Screw .....	05
204440	12333	" " Connection with four 200054c (2) .....	75
200054c	12307	Arm Shaft Connection Screw .....	03
202299	—	" " Oil Packing (wick) (2) .....	01
204805	12333	Balance Wheel, $5\frac{1}{2}$ in. diam. (belt groove 3 in. diam.), with 200328c and 200335c .....	1 00
200062H	12311	Balance Wheel Adjusting Screw .....	07
200328c	12311	" " Position Screw .....	04
200335c	12311	" " Set Screw .....	04

No.	Plate	Name	Each
*213134	—	Bed .....	\$ —
*214056	—	" 213134 with 202062, 203248, 203249, two each 200362c, 200516c, 200840c and 202299 .....	—
202258	12345	Bed Hinge Connection (2) .....	08
200570c	12311	" " " Screw (4) .....	05
203329	11904	" Slide (back) .....	30
203301	12334	" " (front) .....	35
203208	12312	Bobbin (2) .....	05
203210	12312	" Case Base with 202056, 203211 to 203213 and 203216 .....	55
203211	12312	Bobbin Case Base Latch .....	05
*202056	12312	" " " " Pin .....	—
203212	12312	" " " " Plunger .....	02
203213	12312	" " " " Spring .....	01
203209	12312	" " Cap with 200984c, 203214, 203215 and two 200594c .....	25
203214	12312	Bobbin Case Tension Spring .....	10
200984c	12312	" " " " Regulating Screw .....	04
200594c	12312	Bobbin Case Tension Spring Screw ....	02
203215	12312	" " Thread Guide .....	05
200594c	12312	" " " " Screw .....	02
203216	12312	" " Washer (cloth)....Per 100 .....	25
203217	12312	Bobbin Case complete, Nos. 203209 and 203210 .....	80
204533	12333	Face Plate with 200366H, 204730, two each 200368H, 202090, 204281 and three 200397H .....	1 10
200053c	12311	Face Plate Screw .....	04
204730	12386	" " Thread Guide .....	03
200397H	12309	" " " " Set Screw .....	02
204874	12333	Face Plate complete, Nos. 200135c, 200319c, 200577H, 204277 to 204280, 204533, 204555, two each 200309c, 204059 and 204272 .....	3 50
203303	12334	Feed Bar with 204189 .....	50
203309	—	" " 203303 with 200214c, 204525c and 204200 .....	1 00
200214c	12310	Feed Bar Hinge Screw .....	12
204525c	12310	" " " " Nut .....	03
214124	12386	" " Spring .....	04
204189	12306	" " " Hook .....	01
211006	12121	" Dog, for 211858 .....	75
211020	12123	" " " 211019 .....	75
211714	11905	" " " 211860 .....	75
211732	11906	" " " 211021 .....	60
211865	12122	" " " 211031 .....	60
211761	11906	" " " 211025 .....	60
211765	12104	" " " 211012 .....	60



No.	Plate	Name	Each
203241	12312	Hook Bevel Gear Socket, 24 teeth.....	\$ 85
200555H	12312	" " " " Screw .....	05
203242	12305	" " Pinion, 21 teeth, with two 200383c (2) .....	1 00
200383c	12311	Hook Bevel Pinion Set Screw .....	02
203306	12333	" Counter Shaft .....	15
203244	12308	" " " Collar with two 200393c	20
200393c	12308	" " " " Set Screw .....	02
203245	11902	" " " Driving Gear, 41 teeth, with 200362c and 200439c .....	1 00
213154	12305	Hook Counter Shaft Driving Gear 203245 with 200045c and 203235 .....	1 80
200439c	12311	Hook Counter Shaft Driving Gear Position Screw .....	05
200362c	12311	Hook Counter Shaft Driving Gear Set Screw .....	03
203246	12305	Hook Counter Shaft Gear, 22 teeth, with two 200383c .....	75
200383c	12311	Hook Counter Shaft Gear Set Screw....	02
202299	—	" " " Oil Packing (wick)...	01
200840E	12311	" " " " " " " Stop Screw .....	10
213624	12333	Hook Driving Shaft .....	1 75
203248	12334	" " " Bearing with 202299	20
202299	—	" " " " Oil Packing (wick) .....	01
202126	12308	Hook Driving Shaft Bearing Position Pin .....	01
200516E	12311	Hook Driving Shaft Bearing Screw.....	08
203249	12305	" " " Bushing (eccentric)	25
202299	—	" " " " Oil Packing (wick) .....	01
200362c	12311	Hook Driving Shaft Bushing Set Screw...	02
213141	11902	" " " Collar with two 200393c .....	20
200393c	12308	Hook Driving Shaft Collar Set Screw...	02
203251	12312	" Gb .....	40
200600E	12312	" " Hinge Screw .....	02
200616E	12312	" " Screw .....	02
203307	12335	" Saddle (left or right) with 202299	1 25
202299	—	" " Oil Packing (wick) .....	01
200006E	12307	" " Screw (4) .....	07
225585E	12319	" " " Washer (4) .....	02
203254	12312	" Washer .....	20
203308	12335	Hook Saddle (left or right) complete, Nos. 200555H, 203241, 203254, 203290 and 203307 .....	5 25
203462	—	Hook Saddle Combination (left and right) complete, Nos. two 203308 .....	10 50

No.	Plate	Name	Each
202445	11125	Knee Lifter Connection Lever with 202446 .....	\$ 07
227312	—	Knee Lifter Connection Lever 202445 with 200224H, 200262H, 227303 and 227308...	50
200224H	12306	Knee Lifter Connection Lever Hinge Screw .....	12
227308	11125	Knee Lifter Connection Lever Lifting Rod with 202302 .....	05
202302	12321	Knee Lifter Connection Lever Lifting Rod Cotter Pin .....	01
202446	12306	Knee Lifter Connection Lever Pin.....	02
227303	11125	" " Lifting Lever .....	12
200262H	12306	" " " " Hinge Screw...	10
231390	11904	Needle Bar (hollow) .....	80
204248	12307	" " Connecting Link .....	35
200658c	12307	" " " " Hinge Screw Stud .....	10
201549c	12307	Needle Bar Connecting Link Hinge Screw Stud Nut .....	03
204249	12308	Needle Bar Connecting Stud with 200072c and 202277 .....	10
202277	—	Needle Bar Connecting Stud Oil Packing (wick) .....	01
200072c	12308	Needle Bar Connecting Stud Pinch Screw .....	03
204326	12338	Needle Bar Packing Cord (2)... Per 100	25
200504E	12310	" " Screw Bushing (lower) ....	05
200503H	12310	" " " " (upper) .....	05
231388	11903	Needle Holder, needles $\frac{3}{16}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 201030E and two 20044E .....	1 00
231383	11903	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 201030E and two 20044E .....	1 25
231385	11903	Needle Holder, in gauges from $\frac{13}{16}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{16}$ in., with 201030E and two 20044E .....	1 50
201030E	11903	Needle Holder Screw .....	02
200111E	11903	" Set Screw .....	02
204251	12334	Presser Bar (hollow) with 200074E ....	80
204252	12308	" " Lifter .....	20
200550c	12311	" " " Hinge Screw .....	08
204253	12308	" " Lifting Bracket with 200086c	10
200086c	12308	" " " " Pinch Screw	03
204254	12307	" " " " Position Guide	36
200362c	12311	" " " " " " " Set Screw .....	03
204327	12306	Presser Bar Packing Washer (felt) ..... Per 100	25

No.	Plate	Name	Each
200504E	12310	Presser Bar Screw Bushing (lower)....	\$ 05
204255	12310	" " Spring .....	10
200491B	12305	Presser Bar Thumb Screw (pressure regulating) .....	25
229092	13085	Presser Foot, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	75
229102	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ inch .....	75
229103	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	75
229104	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ inch .....	75
229105	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ and $\frac{3}{16}$ inch .....	85
229106	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	85
229107	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ inch..	85
200074F	12308	Presser Foot Screw .....	03
212920	—	Take-up Cam with 200335c and 200430c..	1 25
203268	12334	" " 212920 with 200383c, 200658c and 201519c .....	1 50
203172	12307	Take-up Cam Friction Washer .....	05
200430c	12311	" " Position Screw .....	08
200383c	12311	" " " " Check Screw..	02
200335c	12311	" " Set Screw .....	04
204553	12386	" Lever with 204265 .....	75
206601	—	" " 204553 with 204263 .....	90
204263	12310	" " Bearing with 204264 .....	15
204264	12306	" " " Position Pin .....	01
200042F	12311	" " " Screw .....	05
204265	—	" " Oil Guard .....	05
201816	12307	" " Roller .....	12
204554	12386	Take-up Lever complete, Nos. 200042c, 201816 and 206601 .....	1 00
202402	12309	Tension Disc .....	05
202090	12309	" " Position Pin .....	01
204555	12338	" Release Lever .....	10
200309E	12309	" " " Screw .....	04
202075	12309	" " Plunger .....	03
215609	—	" " Slide .....	18
204268	12310	" " " 215609 with 204269....	20
204269	12308	" " " Spring .....	02
202407	12309	" Spring .....	05
200632B	12309	" Stud .....	20

No.	Plate	Name	Each
200397H	12309	Tension Stud Set Screw .....	\$ 02
201572B	12309	" Thumb Nut .....	01
204271	12309	Tension Washer .....	05
204272	12309	Tension complete, Nos. 200632B, 201572B, 202075, 202407, 204271 and two 202402	50
245610	—	Thread Controller Adjusting Collar ....	10
204273	12308	" " " " 245610 with 200684H, (for Presser Bar).....	15
200684H	12308	Thread Controller Adjusting Collar Screw .....	01
204274	12309	Thread Controller Plate .....	12
200577H	12311	" " " Screw .....	02
202098	12309	" " Roller .....	05
204275	12309	" " " Guard .....	10
202084	12309	" " " " Washer .....	01
200300c	12309	" " " Screw .....	04
204276	12309	" " Spring .....	03
204333	12309	" " " Guard .....	08
200581H	12309	" " " Screw .....	02
204277	12309	" " " Stop .....	15
204278	12309	" " " " Driving Gear .....	10
200319c	12309	" " " " " " " " Hinge Screw .....	04
200435c	12309	Thread Controller Spring Stop Screw...	03
204279	12309	" " " Stud with 204925 .....	10
200366H	11902	" " " " Set Screw..	02
204925	12306	" " " " Washer ...	01
205987	12309	Thread Controller complete, Nos. 200300c, 200581H, 202084, 202098, 204271, 204275 and 204333 .....	42
204280	12309	Thread Controller and Spring complete, Nos. 204276 and 205987 .....	45
203313	12386	Thread Guide .....	10
204556	12386	" " .....	05
204281	12309	" Retainer Guide Wire .....	01
202091	12309	" " Sleeve .....	05
202092	12309	" " Spring .....	01
204058B	12309	" " Stud .....	07
200368H	12309	" " " Set Screw .....	02
204059	12309	Thread Retainer complete, Nos. 202091, 202092 and 204058B .....	45
211858	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211006....	1 50
211019	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211020 .....	1 50
211860	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in $\frac{3}{16}$ in. gauge, for 211714	1 25

No.	Plate	Name	Each
211021	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{1}{4}$ in., for 211732 .....	\$ 1 25
211031	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{11}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 .....	1 25
211025	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{4}$ , $\frac{3}{8}$ , $\frac{1}{2}$ and $\frac{5}{8}$ in., for 211761 .....	1 25
211012	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211765 .....	1 25
211033	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ and $\frac{1}{2}$ in., for 211769 .....	1 50
200161b	12319	Throat Plate Clamp Screw .....	01
202062	12308	" " Position Pin .....	01
200577u	12311	" " Screw .....	02

## MACHINE No. 24 w 106

### DROP FEED

For Overalls, Skirts, Awnings, Etc.

In gauges from  $\frac{1}{8}$  to  $\frac{3}{4}$  inch.

The same as Machine No. 24 w 105 with the following exceptions:

No.	Plate	Name	Each
211865	12122	Feed Dog, for 211912 .....	\$ 60
211762	11906	" " " 211026 .....	60
211766	12104	" " " 211013 .....	60
211770	12104	" " " 211074 .....	75
204258	12386	Presser Bar Spring (heavy), in place of 204255 .....	10
230795	11902	Presser Foot Hinge Pin .....	01
229171	-----	" " Plate, for 229172 .....	1 00
229173	-----	" " " " 229174 .....	1 00
229175	-----	" " " " 229176 .....	1 00
229177	-----	" " " " 229178 .....	1 10
229179	-----	" " " " 229180 .....	1 10
202923	-----	" " Shank .....	60
229172	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{16}$ in., Nos. 202923, 229171 and 230795 .....	1 75
229174	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{3}{4}$ , $\frac{1}{2}$ and $\frac{3}{8}$ in., Nos. 202923, 229173 and 230795 .....	1 75
229176	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{15}{16}$ , $\frac{1}{2}$ , $\frac{1}{4}$ and $\frac{3}{8}$ in., Nos. 202923, 229175 and 230795 .....	1 75
229178	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{1}{8}$ and $\frac{3}{8}$ in., Nos. 202923, 229177 and 230795 .....	1 85
229180	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229179 and 230795 .....	1 85
211912	12122	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{2}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for 211865 .....	1 25

No.	Plate	Name	Each
211026	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ , $\frac{3}{4}$ , $\frac{13}{16}$ and $\frac{1}{2}$ in., for 211762 .....	\$ 1 25
211013	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ and $\frac{13}{16}$ in., for 211766 .....	1 25
211034	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{4}$ in. gauge, for 211770 .....	1 50

## LIST OF PARTS COMPLETE

FOR

**MACHINE No. 24 w 107**

DROP FEED. ALTERNATING PRESSERS

For Shirts, Corsets, Underwear, Etc.

In gauges from  $\frac{1}{16}$  to  $\frac{3}{4}$  inch.

No.	Plate	Name	Each
*204197	- - -	Arm .....	\$ --
*204121	- - -	" 204197 with 200439c, 202036 and 201705 .....	-
204163	12305	Arm Cap .....	10
200278n	12311	" " Screw .....	05
202248n	12307	" " Washer .....	05
200963c	12311	" Screw (3) .....	06
202005	12308	" " Washer (3) .....	01
213010	11904	" Shaft .....	2 00
204705	12334	" " Bushing (front) .....	35
200439c	12311	" " Position Screw .....	05
204410	12333	" " Connection with four 200054e (2) .....	75
200054c	12307	Arm Shaft Connection Screw .....	03
202299	- - -	" " Oil Packing (wick) (2) ....	01
204805	12333	Balance Wheel, 5 $\frac{1}{2}$ in. diam. (belt groove 3 in. diam.), with 200328c and 200335c .....	1 00
200062n	12311	Balance Wheel Adjusting Screw .....	07
200328c	12311	" " Position Screw .....	04
200335c	12311	" " Set Screw .....	01
*213134	- - -	Bed .....	--
*214056	- - -	" 213134 with 202062, 203248, 203249 two each 200362c, 200516n, 200810c and 202299 .....	--
202258	12315	Bed Hinge Connection (2) .....	08
200570c	12311	" " Screw (4) .....	05
203329	11904	" Slide (back) .....	30
203301	12334	" " (front) .....	35
203208	12312	Bobbin (2) .....	05
203210	12312	" Case Base with 202056, 203211 to 203213 and 203216 .....	55
203214	12312	Bobbin Case Base Latch .....	05
*202056	12312	" " " " Pin .....	--
203212	12312	" " " " Plunger .....	02







No.	Plate	Name	E.
200262H	12306	Knee Lifter Lifting Lever Hinge Screw	3
204475	10483	Lifting Lever with 200122H	1
208389	—	" " 204475 with 2000935E, 201534E, 204478 and 206659	2
213004	11902	Lifting Lever Driving Crank	1
204478	10483	" " " " Link	1
200122H	10483	" " " " " Stop Screw	1
200400c	11902	Lifting Lever Driving Crank Position Screw	1
200387c	11902	Lifting Lever Driving Crank Position Screw Set Screw	1
204479	11902	Lifting Lever Driving Crank Position Screw Set Screw Packing (brass)	1
200181D	10483	Lifting Lever Stop Screw	1
204480	10483	" " Stud Lifting Bracket with 200086c and 200181D	1
208390	—	Lifting Lever Stud Lifting Bracket 204480 with 208389	2
200086c	12308	Lifting Lever Stud Lifting Bracket Pinch Screw	1
222301	11909	Lifting Presser Foot, 16 needle hole needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in. for 206675	1
229641	14066	Lifting Presser Foot, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206671	2
229642	14066	Lifting Presser Foot, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206661	2
229650	14067	Lifting Presser Foot, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{4}$ , $\frac{3}{16}$ , $\frac{1}{2}$ , $\frac{11}{16}$ and $\frac{3}{4}$ in., for 229651	2
229652	14067	Lifting Presser Foot, 16 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{16}$ in., for 229653	2
229654	14068	Lifting Presser Foot, 16 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{4}$ in., for 229655	3
200074F	12308	Lifting Presser Foot Screw	0
231290	11904	Needle Bar (hollow)	8
204484	10483	" " Connecting Link with 200188c	5
200188c	10483	Needle Bar Connecting Link Pinch Screw	0
204249	12308	Needle Bar Connecting Stud with 200072c and 202277	4
202277	—	Needle Bar Connecting Stud Oil Pack- ing (wick)	01

Jo.	Plate	Name	Each
0072c	12308	Needle Bar Connecting Stud Pinch Screw	03
1326	12338	Needle Bar Packing Cord (2) Per 100	25
0504E	12310	" " Screw Bushing (lower)	05
0503B	12310	" " " " (upper)	05
1388	11903	Needle Holder, needles $\frac{3}{16}$ in. apart and must be set diagonally, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 201030E and two 200141E	1 00
1383	11903	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 201030E and two 200141E	1 25
1385	11903	Needle Holder, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., with 201030E and two 200141E	1 50
01030E	11903	Needle Holder Screw	02
00141E	11903	" Set Screw	02
04251	12334	Presser Bar (hollow) with 200074E	80
04252	12308	" " Lifter	20
00550c	12311	" " " Hinge Screw	08
04484	11902	" " Lifting Bracket Position Guide	35
00362c	12311	Presser Bar Lifting Bracket Position Guide Set Screw	03
204327	12306	Presser Bar Packing Washer (felt) Per 100	25
00504E	12310	Presser Bar Screw Bushing (lower)	05
204482	11902	" " Spring	15
200491B	12305	" " Thumb Screw (pressure regulating)	25
204506B	11902	Presser Bar Thumb Screw Check Nut	06
213925	11904	Take-up Cam with 200347c, 200383c, 200387c, 200400c, 200430c and 204479	1 75
203472	12307	Take-up Cam Friction Washer	05
200430c	12311	" " Position Screw	08
200383c	12311	" " " " Check Screw	02
200347c	12321	" " Set Screw	03
213005	11904	Take-up Cam Complete, Nos. 204484, 213004 and 213925	3 00
204553	12386	Take-up Lever with 204265	75
206601	—	" " 204553 with 204263	90
204263	12310	" " Bearing with 204264	15
204264	12306	" " " Position Pin	01
200042E	12311	" " " Screw	05
—	—	" " Oil Guard	05
201816	12307	" " Roller	12
204554	12386	Take-up Lever Complete, Nos. 200042E, 201816 and 206601	1 00
202402	12309	Tension Disc	05
202090	12309	" " Position Pin	01



## MACHINE No. 24 w 108

DROP FEED. ALTERNATING PRESSERS

For Tailoring.

In gauges from  $\frac{1}{8}$  to  $\frac{3}{4}$  inch.

The same as Machine No. 24 w 107 with the following exceptions:

No.	Plate	Name	Each
211032	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 .....	\$ 1 25
211026	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{13}{16}$ , $\frac{3}{4}$ , $\frac{11}{8}$ and $\frac{5}{4}$ in., for 211761 .....	1 25
211013	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{8}$ and $\frac{13}{8}$ in., for 211765 .....	1 25
211034	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in $\frac{7}{8}$ in. gauge, for 211769 ..	1 50

## MACHINE No. 24 w 109

DROP FEED

For Shirts, Corsets, Underwear, Corset Covers, Etc.

In gauges from  $\frac{1}{8}$  to  $\frac{3}{4}$  inch.

The same as Machine No. 24 w 108 with the following exceptions:

No.	Plate	Name	Each
201290	-----	Arm, in place of 201161 .....	\$ ---
201413	-----	" 201290 with 200439c, 202036 and 201705, in place of 201112 .....	---
213622	12333	Arm Shaft, in place of 203202 .....	2 00
213134	-----	Bed, in place of 213133 .....	---
214056	-----	Bed 213134 with 202062, 203248, 203249, two each 200362c, 200516c, 200840c and 202299, in place of 214055 .....	---
204294	12333	Feed Driving Rock Shaft, in place of 204199 .....	35
206555	---	Feed Driving Rock Shaft 204294 with 200002c, 201522c and 204193, in place of 206554 .....	80
213624	12333	Hook Driving Shaft, in place of 203247 ..	1 75
227312	-----	Knee Lifter Connection Lever 202445 with 200224n, 200262n, 227303 and 227308, in place of 227311 .....	50
227303	11125	Knee Lifter Lifting Lever, in place of 227302 .....	12

# ACCESSORIES

## FOR MACHINE NO. 24 W 1

No.	Plate	Name	Each
200157B	12338	Attachment Screw	\$ 05
203208	12312	Bobbin (10)	05
225497	12345	" Case Screw Driver	10
12 N 3	—	Needles, six each, sizes 3 and 4. Per doz.	20
225191	—	Drip Pan with four wood screws 1/2 in. No. 5	30
200748B	12319	Machine Clamp Screw	10
225585B	12319	" " " Washer	02
201582B	12319	" " " Wing Nut	08
227488	12345	Machine Clamp complete, Nos. 200748B, 201582B and 225585B	20
41400	12345	Machine Rest Pin (wood)	04
225500	12345	Oiler with 225499	10
<del>225499</del>	12345	" Spout, 2 3/4 in. long	02
225498	12345	Screw Driver, 7 1/4 in. long	15
225554	12345	Wrench (steel)	10
36578	12345	Vicer with 36579	10
36579	12345	" Spout, 3 in. long	06

### BOBBIN WINDER

### SWING AUTOMATIC RIGHT HAND

202470	12320	Bobbin Winder Base	15
202471	12320	" " Frame	15
200221E	12319	" " " Hinge Screw	12
202472	12319	" " " Spring	05
200161E	12319	" " " " Screw	04
202473	12320	" " Pulley with 200380e	20
200380e	12319	" " " Set Screw	02
202474	12320	" " Spindle	15
227522	12319	" " Stop Latch	10
200056E	12319	" " " " Screw	03
202477	12319	" " " " Thumb Lever	15
200299B	12319	" " " " " " Hinge Screw	05
200299B	12319	Bobbin Winder Stop Latch Thumb Lever Joint Screw	05
201537B	12319	Bobbin Winder Stop Latch Thumb Lever Joint Screw Nut	03
202478	12319	Bobbin Winder Stop Latch Trip Lever	10
200299B	12319	" " " " " " Hinge Screw	05

No.	Plate	Name	Each
227523	12320	Bobbin Winder complete, Nos. 200056E, 200161E, 200221E, 201537B, 202470 to 202474, 202477, 202478, 227522, three 200299B and two round head wood screws 1 1/2 in., No. 14	\$ 1 35
202480	12320	Bobbin Winder Spool Holder Base with 200355B and 202484	15
202481	12320	Bobbin Winder Spool Holder Base Spool Pin	05
202482	12319	Bobbin Winder Spool Holder Tension Disc (lower or upper)	02
200011E	12319	Bobbin Winder Spool Holder Tension Disc Screw	05
200355B	12319	Bobbin Winder Spool Holder Tension Disc Screw Set Screw	03
202483	12319	Bobbin Winder Spool Holder Tension Disc Spring (brass)	01
202484	12319	Bobbin Winder Spool Holder Tension Disc Thread Guide	04
202485	12320	Bobbin Winder Spool Holder complete, Nos. 200011E, 202480, 202481, 202483, two 202482 and one wood screw 1 in. No. 13B	35
227524	—	Bobbin Winder and Spool Holder complete, Nos. 202485 and 227523	1 65

### KNEE LIFTER

227781	11125	Knee Lifter Rock Lever with 200522c and 200529c	35
227782	—	Knee Lifter Rock Lever 227781 with two each 202451 and 202452	50
227783	11125	Knee Lifter Rock Lever 227782 with 202985 and 227784	85
202453	11125	Knee Lifter Rock Lever Knee Plate with 200526c	17
202985	—	Knee Lifter Rock Lever Knee Plate 202453 with 202455	25
202455	11125	Knee Lifter Rock Lever Knee Plate Arm (short)	10
200522c	12319	Knee Lifter Rock Lever Knee Plate Arm Set Screw	06
200526c	12319	Knee Lifter Rock Lever Knee Plate Set Screw	05
202454	11125	Knee Lifter Rock Lever Lug, with two wood screws 3/4 in. No. 13B	05
202452	12319	Knee Lifter Rock Lever Lug Hinge Pin	02
227784	11125	" " " " Rod, 3 in. long, with 227785	06

No.	Plate	Name	Each
*227785	---	Knee Lifter Rock Lever Rod Cap or Oil Guard .....	\$ ---
200529c	12319	Knee Lifter Rock Lever Rod Set Screw (Other Knee Lifter Parts are listed with parts of machine head.)	05

**THREAD UNWINDER**

202486	---	Spool Pin .....	03
202487	---	" Rest .....	25
202488	10278	" " 202487 with 200363c, 200383c and two 202486 .....	35
202489	10278	Spool Rest Rod .....	05
200383c	12311	" " " Set Screw .....	02
200383c	12311	" " " Set Screw .....	02
202490	10278	" Stand with 200383c .....	20
202491	10278	" Washer (steel) .....	02
202492	10278	" Weight with 202493 .....	25
202493	---	" " Center with 202793 and 203163 .....	10
203163	---	" " " Bushing .....	03
202793	10278	" " Thread Guide .....	05
202794	10278	Thread Eyelet Rod .....	15
200363c	12338	" " " Set Screw .....	03
202795	10278	Thread Unwinder complete, Nos. 202488 to 202490, 202794, two each 202491, 202492 and three wood screws $\frac{1}{2}$ in. No. 13 .....	1 25

**FOR MACHINE NO. 24 W 4**

Same as for No. 24 w 1 with the following exception:			
6 x 3	---	Needle, six each, sizes 7 and 8, in place of 12 x 3, six each, sizes 3 and 4 .....	20

**FOR MACHINE NO. 24 W 5**

Same as for No. 24 w 1 with the following exception:			
6 x 3	---	Needles, six each, sizes 3 and 4, in place of 12 x 3, six each, sizes 3 and 4 .....	20

**FOR MACHINE NO. 24 W 6**

Same as for No. 24 w 1 with the following exception:			
6 x 3	---	Needles, four each, sizes 5, 6 and 7, in place of 12 x 3, six each, sizes 3 and 4 .....	20

**FOR MACHINE NO. 24 W 10**

Same as for No. 24 w 1 with the following exception:			
203470	11903	Bobbin (10) in place of 203208 .....	06

**FOR MACHINE NO. 24 W 105**

Same as for No. 24 w 1 with the following exceptions:

No.	Plate	Name	Each
225481	---	Drip Pan (long) with four wood screws $\frac{1}{2}$ in. No. 5, in place of 225491 .....	\$ 35
227787	---	Knee Lifter Rock Lever 227782 with 202203 and 227784, in place of 227783 ..	90
202203	---	Knee Lifter Rock Lever Knee Plate 202453 with 202454, in place of 202985	30
202454	11425	Knee Lifter Rock Lever Knee Plate Arm (long), in place of 202455 .....	12

**FOR MACHINE NO. 24 W 106**

Same as for No. 24 w 1 with the following exceptions:

225481	---	Drip Pan (long) with four wood screws $\frac{1}{2}$ in. No. 5, in place of 225491 .....	35
227787	---	Knee Lifter Rock Lever 227782 with 202203 and 227784, in place of 227783 ..	90
202203	---	Knee Lifter Rock Lever Knee Plate 202453 with 202454, in place of 202985	30
202454	11425	Knee Lifter Rock Lever Knee Plate Arm (long), in place of 202455 .....	12
6 x 3	---	Needles, six each, sizes 7 and 8, in place of 12 x 3, six each, sizes 3 and 4 .....	20

**FOR MACHINE NO. 24 W 107**

Same as for No. 24 w 1 with the following exceptions:

225481	---	Drip Pan (long) with four wood screws $\frac{1}{2}$ in. No. 5, in place of 225491 .....	35
227787	---	Knee Lifter Rock Lever 227782 with 202203 and 227784, in place of 227783 ..	90
202203	---	Knee Lifter Rock Lever Knee Plate 202453 with 202454, in place of 202985	30
202454	11425	Knee Lifter Rock Lever Knee Plate Arm (long), in place of 202455 .....	12
6 x 3	---	Needles, six each, sizes 3 and 4, in place of 12 x 3, six each, sizes 3 and 4 .....	20

**FOR MACHINE NO. 24 W 108**

Same as for No. 24 w 1 with the following exceptions:

225481	---	Drip Pan (long) with four wood screws $\frac{1}{2}$ in. No. 5, in place of 225491 .....	35
227787	---	Knee Lifter Rock Lever 227782 with 202203 and 227784, in place of 227783 ..	90
202203	---	Knee Lifter Rock Lever Knee Plate 202453 with 202454, in place of 202985	30



## NEEDLE HOLDERS

No.	Plate	Name	Eac
231383	11903	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., with 201030e and two 200141e .....	\$ 1 1
231385	11903	Needle Holder, in gauges from $\frac{11}{16}$ to $\frac{7}{8}$ in., in steps of $\frac{1}{32}$ in., with 201030e and two 200141e .....	1 5
231388	11903	Needle Holder, needles $\frac{3}{8}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 201030e and two 200141e, for Machines Nos. 24 w 1, 24 w 5, 24 w 6, 24 w 10, 24 w 105 and 24 w 107 to 24 w 109 .....	1 0
231389	11903	Needle Holder, needles $\frac{1}{4}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 201030e and two 200141e .....	1 0

## PRESSER FEET

FOR MACHINES NOS. 24 W 1, 24 W 4, 24 W 10,  
24 W 105, 24 W 106 AND 24 W 109.

No.	Plate	Name	Each
229092	13085	Presser Foot, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	\$ 75
229008	13085	Presser Foot, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ inch .....	75
229009	13085	Presser Foot, 50 needle hole, needles $\frac{1}{4}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{3}{8}$ inch .....	75
229102	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ inch .....	75
229103	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ inch .....	75
229104	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ inch .....	75
229105	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ and $\frac{1}{2}$ inch .....	85
229106	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ , $\frac{5}{8}$ , $\frac{3}{4}$ and $\frac{11}{16}$ inch .....	85
229107	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{4}$ and $\frac{7}{8}$ inch .....	85
229559	13085	Presser Foot, $\frac{46}{16}$ needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes $\frac{3}{8}$ to $\frac{7}{8}$ in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in. for felling ...	1 00
229573	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ inch .....	75
229575	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{16}$ to $\frac{11}{16}$ in., in steps of $\frac{1}{32}$ inch .....	75
229577	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{3}{8}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{16}$ inch .....	85



No.	Plate	Name	Eac
229578	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge	\$ 8
202090	12309	Presser Foot Hinge Pin	0
230795	11902	" " " "	0
221411	—	" " Plate, for 221410	1 2
221442	—	" " " " 221443	1 2
223900	—	" " " " 223901	1 7
223903	—	" " " " 223904	1 7
229164	—	" " " " 229188	1 7
229168	—	" " " " 229169	1 7
229171	—	" " " " 229172	1 0
229173	—	" " " " 229174	1 0
229175	—	" " " " 229176	1 0
229177	—	" " " " 229178	1 0
229179	—	" " " " 229180	1 0
229184	—	" " " " 229935	1 75
229191	—	" " " " 229192	1 75
229193	—	" " " " 229194	1 75
229195	—	" " " " 229167	1 75
229197	—	" " " " 229198	1 75
229201	—	" " " " 229202	1 75
229203	—	" " " " 229204	1 75
229215	—	" " " " 229216	1 75
229217	—	" " " " 229218	1 75
229219	—	" " " " 229220	1 75
229221	—	" " " " 229222	1 75
229223	—	" " " " 229224	1 75
229225	—	" " " " 229226	1 75
229227	—	" " " " 229228	1 75
229241	—	" " " " 229242	1 75
229243	—	" " " " 229244	1 75
229245	—	" " " " 229246	1 75
229247	—	" " " " 229248	1 25
229249	—	" " " " 229250	1 25
229253	—	" " " " 229254	1 25
229321	—	" " " " 229322	1 75
229368	—	" " " " 229369	1 75
229560	—	" " " " 229561	1 75
229839	—	" " " " 229840	1 75
229964	—	" " " " 229965	1 75
230830	—	" " " " 230831	1 75
202923	—	" " Shank	60
202926	—	" " " "	75
202930	—	" " " "	60
223901	13085	Presser Foot (hinged) complete, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in $\frac{1}{8}$ in. gauge Nos. 202090, 202923 and 223900, for felling	2 50

No.	Plate	Name	Each
229167	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229195 and 230795, for felling	\$ 2 50
229169	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229168 and 230795, for felling	2 50
229172	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., Nos. 202923, 229171 and 230795	1 75
229174	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{3}{4}$ , $\frac{13}{16}$ and $\frac{1}{2}$ in., Nos. 202923, 229173 and 230795	1 75
229176	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{1}{2}$ , $\frac{13}{16}$ and $\frac{3}{8}$ in., Nos. 202923, 229175 and 230795	1 75
229178	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ and $\frac{5}{8}$ in., Nos. 202923, 229177 and 230795	1 85
229180	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{16}$ , $\frac{11}{16}$ , $\frac{3}{4}$ and $\frac{3}{4}$ in., Nos. 202923, 229179 and 230795	1 85
221110	—	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge, Nos. 202090, 202923 and 221411	2 00
221443	—	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{11}{16}$ in., in steps of $\frac{1}{8}$ in., Nos. 202090, 202923 and 221442	2 00
229212	13092	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{4}$ , $\frac{3}{8}$ , $\frac{1}{2}$ and $\frac{11}{16}$ in., Nos. 202090, 202923 and 229241	1 90
229244	13092	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{11}{16}$ and $\frac{1}{2}$ in., Nos. 202090, 202923 and 229243	1 90
229246	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{16}$ and $\frac{1}{2}$ in., Nos. 202090, 202923 and 229245	1 90

## Presser Feet

No.	Plate	Name	Each
229248	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{15}{32}$ , $\frac{3}{8}$ and $\frac{13}{32}$ in., Nos. 202090, 202923 and 229247 .....	\$ 2 00
229250	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{5}{16}$ , $\frac{3}{8}$ and $\frac{11}{16}$ in., Nos. 202090, 202923 and 229249 .....	2 00
229254	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{15}{32}$ , $\frac{3}{8}$ , $\frac{13}{32}$ and $\frac{1}{2}$ in., Nos. 202090, 202923 and 229253 .....	2 00
Nos. 229188 to 230831 are for felling.			
229188	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{8}$ and $\frac{3}{4}$ in., Nos. 202926, 229164 and 230795 .....	2 50
229192	13085	Presser Foot (hinged) complete, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229191 and 230795 .....	2 50
223904	11907	Presser Foot (hinged) complete, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{8}$ in., Nos. 202923, 223903 and 230795 .....	2 50
229194	13085	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229193 and 230795 .....	2 50
229198	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{15}{32}$ , $\frac{3}{8}$ , $\frac{13}{32}$ and $\frac{3}{4}$ in., Nos. 202923, 229197 and 230795 .....	2 50
229202	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{15}{32}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229201 and 230795 .....	2 50
229204	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229203 and 230795 .....	2 50
229216	13085	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{8}$ in., Nos. 202926, 229215 and 230795 .....	2 50

## Presser Feet

No.	Plate	Name	Each
229218	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{15}{32}$ and $\frac{3}{8}$ in., Nos. 202930, 229217 and 230795 .....	\$ 2 50
229220	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229219 and 230795 .....	2 50
229222	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{15}{32}$ , $\frac{3}{8}$ , $\frac{13}{32}$ and $\frac{3}{4}$ in., Nos. 202923, 229221 and 230795 .....	2 50
229224	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{15}{32}$ , $\frac{1}{2}$ , $\frac{13}{32}$ and $\frac{3}{4}$ in., Nos. 202923, 229223 and 230795 .....	2 50
229226	13041	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{15}{32}$ and $\frac{3}{8}$ in., Nos. 202923, 229225 and 230795 .....	2 50
229228	13041	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229227 and 230795 .....	2 50
229222	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{8}$ and $\frac{3}{4}$ in., Nos. 202926, 229229 and 230795 .....	2 50
229369	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{15}{32}$ and $\frac{3}{8}$ in., Nos. 202923, 229368 and 230795 .....	2 50
229561	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{15}{32}$ , $\frac{3}{8}$ , $\frac{13}{32}$ and $\frac{3}{4}$ in., Nos. 202923, 229560 and 230795 .....	2 50
229840	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229839 and 230795 .....	2 50
229935	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{8}$ in., Nos. 202926, 229184 and 230795 .....	2 50
229965	11908	Presser Foot (hinged) complete, 46 needle hole for needle sizes 5 to 7, in gauges from $\frac{15}{32}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in. Nos. 202930, 229964 and 230795 .....	2 50

No.	Plate	Name	Each
230831	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{16}$ in. gauge, Nos. 202090, 202923 and 230830 .....	\$ 2 50

**FOR MACHINES NOS. 24 W 5, 24 W 6, 24 W 107 AND 24 W 108**

206658	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206678 .....	1 00
206666	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206668, 222302 and 222304 .....	1 50
206667	11909	Lifting Presser Foot, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206668, 222302 and 222304 .....	1 50
206677	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{1}{4}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206678, 222302 and 222304 .....	1 50
222301	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206668, 206675, 206678, 206714, 206719, 222302 and 222304 .....	1 50
222303	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206668, 206675, 206678, 206714, 206719, 222302 and 222304 .....	1 50
206669	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206670 .....	1 50
206682	11908	Lifting Presser Foot, 35 needle hole, for needle sizes 12 to 14, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{16}$ in., for 229649 .....	2 50
206708	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206710 .....	1 50
206709	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206710 .....	1 50
206711	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{8}$ in., for 206713 .....	1 50

No.	Plate	Name	Each
206712	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206713 .....	\$ 1 50
206720	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in $\frac{3}{16}$ in. gauge, for 206670 .....	1 50
229641	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 206671 .....	2 00
229642	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206661 .....	2 00
229646	14067	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 206690 .....	2 00
229648	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{16}$ in., for 229649 .....	2 50
229650	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{4}$ , $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., for 229651 .....	2 00
229652	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{5}{8}$ in., in steps of $\frac{1}{16}$ in., for 229653 .....	2 50
229654	14068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{3}{8}$ in., for 229655 .....	3 00
Nos. 229656 to 229667 are for felling.			
229656	14068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 206671 .....	2 50
229657	14068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206661 .....	2 50
229658	14068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{16}$ in., for 229651 .....	2 50
229667	11908	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{5}{8}$ in., in steps of $\frac{1}{16}$ in., for 229653 .....	3 00
229970	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in $\frac{1}{4}$ in. gauge, for 229645 .....	2 00
206664	11839	Vibrating Presser Foot, for 229642 and 229657 .....	1 50
206668	11839	Vibrating Presser Foot, for 206666, 206667 222301 and 222303 .....	1 00
206670	11839	Vibrating Presser Foot, for 206669 and 206720 .....	1 00

No.	Plate	Name	Eac
206671	11839	Vibrating Presser Foot, for 229641 and 229656 .....	\$ 1 5
206675	11839	Vibrating Presser Foot, for 222301 and 222303 .....	1 0
206678	11839	Vibrating Presser Foot, for 206668, 206667, 222301 and 222303 .....	1 0
206690	11839	Vibrating Presser Foot, for 229646, .....	1 5
206710	11839	" " " " 206708 and 206709 .....	1 0
206713	11839	Vibrating Presser Foot, for 206711 and 206712 .....	1 0
206714	11839	Vibrating Presser Foot, for 222301 and 222303 .....	1 0
206719	11839	Vibrating Presser Foot, for 222301 and 222303 .....	1 0
222302	11839	Vibrating Presser Foot, for 206666, 206667, 206677, 222301 and 222303 ....	1 5
222304	11839	Vibrating Presser Foot, for 206666, 206667, 206677, 222301 and 222303 ....	1 0
229645	14066	Vibrating Presser Foot, for 229970 .....	1 5
229649	14067	" " " " 206682 and 229648 .....	1 5
229651	14067	Vibrating Presser Foot, for 229650 and 229658 .....	1 5
229653	14067	Vibrating Presser Foot, for 229652 and 229667 .....	1 5
229655	14068	Vibrating Presser Foot, for 229654 .....	2 0

## THROAT PLATES

FOR MACHINES NOS. 24 W 1, 24 W 4 TO 24 W 6  
AND 24 W 105 TO 24 W 108

Adapted for Hook Saddle complete, No. 203462.

No.	Plate	Name	Each
211011	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211010 .....	\$ 1 25
211012	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{13}{16}$ , $\frac{5}{8}$ , $\frac{33}{16}$ and $\frac{11}{8}$ in., for 211765 and 211766 .....	1 25
211013	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{13}{16}$ , $\frac{5}{8}$ , $\frac{33}{16}$ and $\frac{11}{8}$ in., for 211765 and 211766 .....	1 25
211019	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211020 .....	1 50
211021	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211732 and 211733 .....	1 25
211024	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{5}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211023 .....	1 50
211025	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{2}$ , $\frac{13}{16}$ , $\frac{3}{8}$ , $\frac{13}{16}$ and $\frac{5}{8}$ in., for 211042 and 211761 .....	1 25
211026	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{2}$ , $\frac{13}{16}$ , $\frac{3}{8}$ , $\frac{13}{16}$ and $\frac{5}{8}$ in., for 211042, 211761 and 211762 ....	1 25
211031	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866 .....	1 25
211032	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866 .....	1 25
211033	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{33}{16}$ and $\frac{3}{4}$ in., for 211769 and 211770 .....	1 50
211034	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{4}$ in. gauge, for 211769 and 211770 .....	1 50

No.	Plate	Name	Each
211047	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211732 and 211733	\$1 25
211858	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211006	1 50
223002	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211006	1 50
211860	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ and $\frac{3}{16}$ in., for 211714	1 25
211864	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211725	1 25
211867	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211869	1 25
211868	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211869	1 25
211871	12123	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211873	1 25
211872	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211873	1 25
211912	12122	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866	1 25
211981	12121	Throat Plate, 53 needle hole, for needle sizes 1 to 3 $\frac{1}{2}$ , in gauges $\frac{1}{16}$ , $\frac{3}{32}$ and $\frac{1}{8}$ in., for 211714	1 25
211989	12121	Throat Plate, 60 needle hole, for needle sizes 0 to 1, in gauges $\frac{1}{16}$ , $\frac{3}{32}$ and $\frac{1}{8}$ in., for 211714	1 25
230971	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{3}{8}$ in., for 230983	1 25
221343	11905	<i>Throat Plate for 230983</i>	1 25

No.	Plate	Name	Each
<b>FOR MACHINES NOS. 24 W 10 AND 24 W 109</b>			
Adapted for Hook Saddle complete, No. 203519.			
212051	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ and $\frac{3}{16}$ in., for 211714	\$ 1 25
212052	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ and $\frac{3}{16}$ in., for 211714	1 25
212053	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211732 and 211733	1 25
212054	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211732 and 211733	1 25
212061	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211865 and 211866	1 25
212062	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211865 and 211866	1 25
212063	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866	1 25
212064	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211761 and 211762	1 25

## Throat Plates

No.	Plate	Name	Ea
212065	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{2}$ to $\frac{5}{8}$ in., in steps of $\frac{1}{16}$ in., for 211761 and 211762	\$1
212066	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{2}$ to $\frac{5}{8}$ in., in steps of $\frac{1}{16}$ in., for 211761 and 211762	1
212067	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ , $\frac{13}{32}$ , $\frac{3}{4}$ , $\frac{31}{32}$ and $\frac{15}{16}$ in., for 211765 and 211766	1 1
212068	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ , $\frac{13}{32}$ , $\frac{3}{4}$ , $\frac{31}{32}$ and $\frac{15}{16}$ in., for 211765 and 211766	1 1
212069	11905	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges $\frac{3}{8}$ , $\frac{13}{32}$ , $\frac{3}{4}$ , $\frac{31}{32}$ and $\frac{15}{16}$ in., for 211765 and 211766	1 2
212090	11905	Throat Plate, 53 needle hole, for needle sizes 1 to $\frac{31}{32}$ in gauges $\frac{1}{8}$ , $\frac{5}{16}$ and $\frac{3}{8}$ in., for 211714	1 2

## LAP SEAM FELLERS

Note: In ordering Lap Seam Fellers, give letter which refers to material to be used, in addition to the number.

- F Silks, fine muslins, etc., where there are no seams.
- L Fine shirts, underwear, corsets, etc.
- M General shirt and corset work, etc.
- MH Heavy corset and other medium heavy material.
- H Heavy shirt work, light overalls, etc.
- XH Overall and duck work.
- XXH Heavy duck and canvas work.
- XXXH Horse blankets, etc.
- XXXXH Extra heavy material with seams.

No.	Plate	Name	Each
230035	11846	Lap Seam Feller on Shank (left hand). For corsets. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring	\$ 3 40
230036	11846	Lap Seam Feller on Shank (right hand). For corsets. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring	3 40
230037	11847	Lap Seam Feller on Shank (left hand). For corsets. Made extra short for small curves. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring	3 40
230038	11847	Lap Seam Feller on Shank (right hand). For corsets. Made extra short for small curves. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring	3 40
230039	11817	Lap Seam Feller on Shank (left hand), for $\frac{1}{8}$ to $\frac{5}{16}$ in. gauge machines. For F, L or M material. Has no yielding spring	3 40

No.	Plate	Name	E <sub>c</sub>
230040	11848	Lap Seam Feller on Shank (right hand), for $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L or M material. Has no yielding spring	3
230041	11848	Lap Seam Feller on Shank (left hand), for $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M or MH material. Has no yielding spring	3
230042	11848	Lap Seam Feller on Shank (right hand), for $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M or MH material. Has no yielding spring	3
230043	11846	Lap Seam Feller on Shank (right hand), for $\frac{1}{4}$ to $\frac{3}{8}$ in. gauge machines. For H, XII, XXII or XXXII material. Has no yielding spring	3
230044	11849	Lap Seam Feller on Shank (left hand), for $\frac{1}{4}$ to $\frac{3}{8}$ in. gauge machines. For H, XII, XXII or XXXII material. Has no yielding spring	3 4
230045	11849	Lap Seam Feller on Shank (left hand), for $\frac{1}{16}$ and $\frac{1}{8}$ in. gauge machines. For M, MH, H, XII, XXII, XXXII or XXXXII material. Has no yielding spring	3 4
230046	11850	Lap Seam Feller on Shank (right hand), for $\frac{1}{16}$ and $\frac{1}{8}$ in. gauge machines. For M, MH, H, XII, XXII, XXXII or XXXXII material. Has no yielding spring	3 4
230047	11851	Lap Seam Feller on Shank (left hand). For general work. For $\frac{1}{16}$ to $\frac{3}{8}$ in. gauge machines. For P, L, M, MH or H material. Has no yielding spring.	3 40
230048	11851	Lap Seam Feller on Shank (right hand). For general work. For $\frac{1}{16}$ to $\frac{3}{8}$ in. gauge machines. For P, L, M, MH or H material. Has no yielding spring.	3 40
230049	11850	Lap Seam Feller on Shank (left hand). Made short for felling curves. For $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M, MH or H material. Has yielding spring	3 40
230050	11852	Lap Seam Feller on Shank (right hand). Made short for felling curves. For $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M, MH or H material. Has yielding spring	3 40
230055	11851	Lap Seam Feller on Shank (left hand). For general work. For $\frac{1}{4}$ to $\frac{3}{8}$ in. gauge machines. For XII, XXII or XXXII material. Has yielding spring	3 40

No.	Plate	Name	Each
230056	11852	Lap Seam Feller on Shank (right hand). For general work. For $\frac{1}{4}$ to $\frac{3}{8}$ in. gauge machines. For XII, XXII or XXXII material. Has yielding spring	3 40

**SWING LAP SEAM FELLER**

230078	11853	Lap Seam Feller on Shank (left hand), for $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M, MH or H material. Has yielding spring	3 40
230079	11853	Lap Seam Feller on Shank (right hand), for $\frac{1}{16}$ to $\frac{1}{8}$ in. gauge machines. For P, L, M, MH or H material. Has yielding spring	3 40
Note: To be used on Lap Seam Feller Base Plate No. 226187.			
226187	11910	Lap Seam Feller Base Plate with	60
225706	11853	" " " " " Position Pin	01
200246b	11853	" " " " " Screw	08
201525e	12310	" " " " " Nut	03
225708b	11853	" " " " " Spring	10
226663	11853	" " " " " Clamp Washer	05
200160g	11853	" " " " " Screw	04

**LAP SEAM GUIDE**

230086	11860	Lap Seam Guide, for $\frac{1}{16}$ to $\frac{3}{8}$ in. gauge Machines, for L, M, MH, H, XII, XXII, XXXII or XXXXII material	2 40
--------	-------	--	------

Note: State gauge of Machine, weight of material to be used and if seams are to be crossed.

## PRESSER FOLDERS

No.	Plate	Name	Eac
230129	11860	Strip Presser Foot, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{32}$ in., folds and lays a strip	3 5
230137	11860	Strip Presser Foot, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{32}$ in., folds and lays a strip and inserts a puckering string at one operation	3 5
230138	11860	Strip Presser Foot, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{32}$ in., folds and lays a strip	3 5

## SHIRT FACING FOLDERS

230020	11910	Shirt Facing Folder (upper) with 230026, folds both edges of the upper strip under	4 75
231281	11910	Shirt Facing Folder (upper) with Interlining Guide, folds both edges of the upper strip under	5 75
230016	14530	Shirt Facing Folder Arm Bracket with 200174b, 200336b and 201537e	1 00
200157b	12338	Shirt Facing Folder Arm Bracket Screw	05
201539E	11903	" " " " " "	04
*230026	—	Shirt Facing Folder Bracket	—
230017	14530	" " " " Lever, for folds from $\frac{3}{4}$ to $1\frac{1}{2}$ inch	75
230024	14530	Shirt Facing Folder Bracket Lever, for folds from 1 to $1\frac{1}{2}$ inch	75
230025	14530	Shirt Facing Folder Bracket Lever, for folds from $1\frac{1}{2}$ to $2\frac{1}{2}$ inch	75
230102	11910	Shirt Facing Folder Bracket Lever, for folds from $2\frac{3}{4}$ in., or over	75

## Shirt Facing Folders

81

No.	Plate	Name	Each
30236b	14530	Shirt Facing Folder Bracket Lever Adjusting Screw	\$ 04
01537E	12319	Shirt Facing Folder Bracket Lever Adjusting Screw Nut	03
00268b	14530	Shirt Facing Folder Bracket Lever Hinge Screw	10
01531E	12308	Shirt Facing Folder Bracket Lever Hinge Screw Nut	03
26467	14530	Shirt Facing Folder Bracket Lever Hinge Screw Spring Washer	05
00171b	14530	Shirt Facing Folder Bracket Lever Stop Screw	02
00161b	14530	Shirt Facing Folder Bracket Screw	02
230018	11910	Strip Folder (lower) with 230029, folds both edges of the under strip over	4 50
230021	11910	Strip Folder (lower) with 230031 and 230032, folds both edges of the under strip over	5 00
230031	—	Strip Folder Cloth Guide	—
230032	—	" " Shank	—
230029	—	" " "	—
231241	11910	Shirt Facing Folder Arm Bracket complete, Nos. 200268b, 201531E, 226467, 230016, 230017, two each 200157b, 200161b and 201539E	2 25
231242	—	Shirt Facing Folder Arm Bracket complete, Nos. 200268b, 201531E, 226467, 230016, 230024, two each 200157b, 200161b and 201539E	2 25
231243	—	Shirt Facing Folder Arm Bracket complete, Nos. 200268b, 201531E, 226467, 230016, 230025, two each 200157b, 200161b and 201539E	2 25
231256	—	Shirt Facing Folder Arm Bracket complete, Nos. 200268b, 201531E, 226467, 230016, 230102, two each 200157b, 200161b and 201539E	2 25
231282	—	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $1\frac{1}{2}$ in., Nos. 230018, 230020 and 231241	11 50
231283	—	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{1}{2}$ in., Nos. 230018, 230020 and 231242	11 50
231284	—	Shirt Facing Folder and Bracket complete, for folds from $1\frac{1}{2}$ to $2\frac{1}{2}$ in., Nos. 230018, 230020 and 231243	11 50
231285	—	Shirt Facing Folder and Bracket complete, for folds $2\frac{1}{2}$ in. and wider, Nos. 230018, 230020 and 231256	11 50



No.	Plate	Name	Eac
231286	---	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $\frac{3}{16}$ in., Nos. 230018, 231241 and 231281 .....	\$12 5
231287	---	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{1}{16}$ in., Nos. 230018, 231242 and 231281 .....	12 5
231288	---	Shirt Facing Folder and Bracket complete, for folds from $1\frac{1}{16}$ to $2\frac{1}{16}$ in., Nos. 230018, 231243 and 231281 .....	12 5
231289	---	Shirt Facing Folder and Bracket complete, for folds $2\frac{1}{16}$ in. and wider, Nos. 230018, 231256 and 231281 .....	12 5
231290	---	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $\frac{3}{16}$ in., Nos. 230021, 231241 and 231281 .....	13 00
231291	---	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{1}{16}$ in., Nos. 230021, 231242 and 231281 .....	13 00
231292	---	Shirt Facing Folder and Bracket complete, for folds from $1\frac{1}{16}$ to $2\frac{1}{16}$ in., Nos. 230021, 231243 and 231281 .....	13 00
231293	---	Shirt Facing Folder and Bracket complete, for folds $2\frac{1}{16}$ in. and wider, Nos. 230021, 231256 and 231281 .....	13 00

## STRIP REELS

Suspended under the Bench with Latch which permits the Reels to be brought forward for placing the Roll of Strip into position.

No.	Plate	Name	Each
226198	---	Strip Reel Disc (9 in. diam.), with 225980 and three 225667 <i>225667</i> .....	\$ 30
225980	---	Strip Reel Disc Base .....	10
225667	11862	" " " " Rivet .....	01
227204	11863	" " " " Rod .....	10
227205	11862	" " " " Clamp with two 200530c .....	20
200530c	12321	Strip Reel Disc Rod Clamp Set Screw .....	95
227116	11862	" " " " Collar .....	06
227210	11862	" " " " " 227116 with 200731e and 227327 .....	20
200731e	11862	Strip Reel Disc Rod Collar Wing Screw .....	12
227327	11862	" " " " Tension Spring (spiral) .....	02
227214	11863	Strip Reel Supporting Rod .....	25
227215	11863	" " " " Bracket (right), with two wood screws 1 in. No. 13 .....	10
227203	11863	Strip Reel Supporting Rod Latch Bracket with two wood screws 1 in. No. 13....	15
227223	11862	Strip Reel Supporting Rod Latch Bracket Spring (spiral) .....	05
227224	11862	Strip Reel Supporting Rod Latch Bracket Spring Collar with 200380c .....	10
200380c	11862	Strip Reel Supporting Rod Latch Bracket Spring Collar Set Screw .....	02
200530c	12321	Strip Reel Supporting Rod Set Screw..	05
227207	11863	Strip Reel complete, Nos. 227203 to 227205, 227214, 227215, 227223, 227224, two 227210 and four 226198.....	2 50

## STRIP REELS

Attached to the Top of the Arm.

226199	---	Strip Reel Disc (6 in. diam.), with 225980 and three 225667 <i>225667</i> .....	25
226198	---	Strip Reel Disc (9 in. diam.), with 225980 and three 225667 <i>225667</i> .....	30
225980	---	Strip Reel Disc Base .....	10
225667	11862	" " " " Rivet .....	01

## STRIP REELS

No.	Plate	Name	Each
227113	11863	Strip Reel Disc Rod (lower) with Strip Guide .....	\$ 2
227115	11863	Strip Reel Disc Rod (upper) with Strip Guide .....	2
227116	11862	Strip Reel Disc Rod Collar .....	0
227210	11862	" " " " " 227116 with 200731e and 227327 .....	2
200731e	11862	Strip Reel Disc Rod Collar Wing Screw .....	1
200530e	12321	" " " " " Set Screw .....	0
227327	11862	" " " " " Tension Spring (spiral) .....	0
227108	11863	Strip Reel Support with two 200530e .....	60
200017e	11862	" " " " " Screw .....	00
227212	11863	Double Strip Reel complete, Nos. 200017e, 227108, 227113, 227115, two each 226198, 226199 and 227210 .....	2 50

## UNDER DRIVER

Ball Bearing, Right Hand, Round Belt, Two Speed.

No.	Plate	Name	Each
202457	---	Cone Pulley (grooved), two speed, 3 $\frac{1}{2}$ in. and 4 $\frac{1}{2}$ in. belt diam., with 227553, for 227738 .....	\$ 1 35
227370	11126	Cone Pulley (grooved), two speed, 4 $\frac{1}{2}$ in. and 5 $\frac{1}{2}$ in. belt diam., with 227553, for 227740 .....	1 35
25362	12321	Cone Pulley Ball, size $\frac{3}{8}$ inch .....	02
204100	12321	" " " " " Bearing Cup .....	12
204101	12321	" " " " " Cap .....	02
204102	12321	" " " " " Retaining Spring .....	05
227553	12322	Cone Pulley Ball Cup complete, Nos. 204100 to 204102 and thirteen 25362 ..	45
202459	11126	Driving Pulley, 7 $\frac{1}{2}$ in. diam., with 202460 and 204105 .....	75
202460	11126	Driving Pulley Friction Ring (leather) ..	05
204105	12321	" " " " " Stop Pin .....	01
227743	---	" " " " " Shaft (hollow) with 204109, 204110, 204112 and two 204111 .....	60
202461	11126	Driving Pulley Shaft 227743 with 204107, 204108 and eleven 25303 .....	1 60
25303	12321	Driving Pulley Shaft Ball, size $\frac{1}{2}$ inch .....	03
204107	12321	" " " " " Cup .....	10
204108	12321	" " " " " Cap .....	02
204109	---	" " " " " Oil Plug .....	01
204110	---	" " " " " Oiling Leather .....	02
204111	---	" " " " " " Pin (leather) .....	01
204112	12322	Driving Pulley Shaft Oiling Wick .....	01
200524c	12321	" " " " " Set Screw .....	06
204113	12321	" " " " " Thimble .....	10
227734	11126	Frame with 200524c .....	80
202463	11126	Lever (compression) with 204117, two each 200524c and 202845 .....	45
227735	11126	Lever Brake with 200524c, 204122 and two 200374c .....	35
227736	11126	Lever Brake 227735 with 200082b and 227737 .....	60
227737	11126	Lever Brake Bell Guard .....	20
200082b	12321	" " " " " Screw .....	03
204122	12322	" " " " " Leather .....	05
200374c	12321	" " " " " Set Screw .....	02
200524c	12321	" " " " " Set Screw .....	06

No.	Plate	Name	Ea
204123	12322	Lever Brake Spring .....	\$
204117	12321	" Compression Plate .....	
202845	12321	" " " Rivet .....	
202464	11126	" " Shaft with 202302 .....	
202302	12321	" " " Cotter Pin .....	
200524c	12321	" " " Set Screw .....	
27070	11126	Shaft Pulley (sectional, grooved), 10 in. diam., $1\frac{1}{8}$ in. bore, with two 597c....	
597c	11862	Shaft Pulley Clamping Screw .....	
227976	11126	Treadle with 200540b .....	
227977	11126	" 227976 with 227978 .....	
227978	11126	" Adjustable Connecting Slide .....	
200540b	11862	" " " " " Set Screw .....	
202468	11126	Treadle Pitman Rod (lower or upper)..	
204126	12321	" " " Clamp with two 200530c .....	
200530c	12321	Treadle Pitman Rod Clamp Set Screw..	
227980	11126	Treadle Pitman complete, Nos. 204126 and two 202468 .....	
204127	11126	Treadle Stand (left) with two wood screws 1 in. No. 13 .....	
204128	11126	Treadle Stand (right) with two wood screws 1 in. No. 13 .....	
227981	—	Treadle and Stand complete, Nos. 204127, 204128 and 227977 .....	
227982	—	Treadle and Pitman complete, Nos. 227980 and 227981 .....	
227738	—	Transmitter complete, Nos. 202457, 202459, 202461, 202463, 202464, 204113, 204123, 227734, 227736 and three wood screws $1\frac{1}{4}$ in. No. 15, for 227984 .....	
227740	—	Transmitter complete, Nos. 202459, 202461, 202463, 202464, 204113, 204123, 227370, 227734, 227736 and three wood screws $1\frac{1}{4}$ in. No. 15, for 227985 .....	
227984	—	Under Driver (ball bearing) lever pressure, right hand, two speed complete, Nos. 27070, 227738 and 227982, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	
227985	—	Under Driver (ball bearing) lever pressure, right hand, two speed complete, Nos. 27070, 227740 and 227982, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	

## OBSOLETE PARTS

No.	Plate	Name	Each
213605	—	Feed Driving Cam Fork Lever Slide Block .....	\$ —
213604	—	Feed Driving Cam Fork Lever Slide Block with 200116c .....	—
213606	13041	Feed Driving Cam Fork Lever Slide Block 213604 with 213605 .....	30
203250	11911	Hook Driving Shaft Collar with two 200393 .....	20
204870	11901	Needle Bar (hollow) .....	80
203697	11911	Needle Holder, needles $\frac{3}{8}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 200068n and two 200141r .....	1 00
203701	11911	Needle Holder, needles $\frac{3}{8}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 200068n and two 200141r .....	1 25
203702	11911	Needle Holder, needles $\frac{1}{2}$ in. apart and must be set diagonally, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 200068n and two 200141r .....	1 25
203703	11911	Needle Holder, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 200068n and two 200141r .....	1 00
203704	11911	Needle Holder, in gauges from $\frac{1}{8}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., with 200068n and two 200141r .....	1 25
203705	11911	Needle Holder, in gauges from $\frac{1}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., with 200068n and two 200141r .....	1 50
203711	11911	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., with 200068n and two 200141r .....	1 50
203713	11911	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{11}{16}$ in., in steps of $\frac{1}{32}$ in., with 200068n and two 200141r .....	1 50
203714	11911	Needle Holder, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 200068n and two 200141r .....	1 00
		Nos. 212055 to 212060, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108.	
212055	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{16}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211873 .....	1 25
212056	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211873 .....	1 25

## Obsolete Parts

No.	Plate	Name	Ea.
212057	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{7}{32}$ to $\frac{9}{32}$ in., in steps of $\frac{1}{32}$ in., for 211873 .....	\$ 1 1
212058	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869 .....	1 1
212059	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869 .....	1 2
212060	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{7}{32}$ to $\frac{9}{32}$ in., in steps of $\frac{1}{32}$ in., for 211869 .....	1 2
215612	-----	Vibrating Presser Bar .....	4
204489	13041	" " " 215612 with 204493 and two 200138b, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	60
215628	-----	Vibrating Presser Bar .....	4
204488	13041	" " " 215628 with 204493 and two 200138b, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	60
204492	13041	Vibrating Presser Bar Position Guide, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	30

## NUMERICAL LIST OF PARTS

## NUMERICAL LIST OF PARTS

No.	Plate	Name	Each
597c	11862	Under Driver Shaft Pulley Clamping Screw, for 27070 .....	\$ 08
25303	12321	Under Driver Driving Pulley Shaft Ball, size $\frac{1}{4}$ in., for 202461 .....	03
25362	12321	Under Driver Cone Pulley Ball, size $\frac{3}{16}$ in., for 227553 .....	02
27070	11126	Under Driver Shaft Pulley (sectional grooved), 10 in. diam., $1\frac{1}{8}$ in. bore, with two 597c, for 227984 and 227985 .....	15
41400	12345	Machine Rest Pin (wood) .....	04
200002E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw, for 206551 and 206555 .....	07
200006E	12307	Hook Saddle Screw .....	07
200011E	12319	Bobbin Winder Spool Holder Tension Disc Screw, for 202485 .....	05
200017E	11862	Strip Reel Support Screw, for 227212....	06
200027E	12310	Feed Lifting Cam Fork Pinch Screw, for 204202 .....	04
200031E	12311	Feed Driving Cam Fork Lever Connection Clamp Pinch Screw, for 204194..	04
200042E	12311	Take-up Lever Bearing Screw, for 204554	05
200043E	12311	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw .....	04
200043E	12311	Feed Driving Rock Shaft Center Set Screw .....	04
200043E	12311	Feed Lifting Rock Shaft Center Set Screw .....	04
200045E	12310	Feed Lifting Cam Screw, for 213154....	03
200053E	12311	Face Plate Screw .....	04
200053E	12311	Vibrating Presser Bar Position Stop Screw .....	04
200054E	12307	Arm Shaft Connection Screw, for 204110	03
200056E	12319	Bobbin Winder Stop Latch Screw, for 227523 .....	03
200062E	12311	Balance Wheel Adjusting Screw .....	07
200066E	11235	Bobbin Case Lever Fulcrum Screw, for 203508 .....	03
200072E	12308	Needle Bar Connecting Stud Pinch Screw, for 204249 .....	03
200074E	12308	Lifting Presser Foot Screw .....	03
200074E	12308	Presser Foot Screw, for 204251 .....	03
200075E	11902	Feed Dog Support Screw .....	02

200002E  
 200006E  
 200011E  
 200017E  
 200027E  
 200031E  
 200042E  
 200043E  
 200043E  
 200043E  
 200045E  
 200053E  
 200053E  
 200054E  
 200056E  
 200062E  
 200066E  
 200072E  
 200074E  
 200074E  
 200075E

## Numerical List of Parts

No.	Plate	Name	Eac
200078F	12307	Feed Regulating Handle Shaft Crank Set Screw, for 204214	\$ 0
200082D	12321	Under Driver Lever Brake Belt Guard Screw, for 227736	0
200086C	12308	Lifting Lever Stud Lifting Bracket Pinch Screw, for 204480	0
200086C	12308	Presser Bar Lifting Bracket Pinch Screw, for 204253	0
200098E	12307	Feed Regulating Handle Adjustable Stop Screw, for 204207	0
200098E	12307	Vibrating Presser Foot Screw	0
200106E	12311	Feed Dog Screw	0
200113E	12308	" Driving Cam Fork Lever Shaft Collar Set Screw, for 204197	0
200122H	10483	Lifting Lever Driving Crank Link Stop Screw, for 204175	0
200135C	12309	Thread Controller Spring Stop Screw, for 204874	0
200138D	11902	Vibrating Presser Bar Spring Screw, for 204488, 204489 and 206659	0
200141E	11903	Needle Set Screw, for 203697, 203701 to 203705, 203711, 203713, 203714, 231383, 231385, 231388 and 231389	02
200157B	12338	Attachment Screw	02
200157B	12338	Shirt Facing Folder Arm Bracket Screw, for 231241 to 231243 and 231256	32
200160B	11853	Lap Seam Feller Clamp Washer Screw	0
200161E	12319	Bobbin Winder Frame Spring Screw, for 227523	04
200161D	12319	Throat Plate Clamp Screw	04
200164B	14530	Shirt Facing Folder Bracket Screw, for 231241 to 231243 and 231256	02
200174D	14530	Shirt Facing Folder Bracket Lever Stop Screw, for 230016	02
200181D	10483	Lifting Lever Stop Screw, for 204480	03
200188C	10483	Needle Bar Connecting Link Pinch Screw, for 204481	02
200214E	12310	Feed Bar Hinge Screw, for 203309	12
200221E	12319	Bobbin Winder Frame Hinge Screw for 227523	12
200224H	12306	Knee Lifter Connection Lever Hinge Screw, for 227311 and 227312	12
200243E	12310	Feed Lifting Rock Shaft Slide Block Hinge Screw, for 203238	08
200246B	11853	Lap Seam Feller Base Plate Screw	08
200262H	12306	Knee Lifter Lifting Lever Hinge Screw, for 227311 and 227312	10
200268B	14530	Shirt Facing Folder Bracket Lever Hinge Screw, for 231241 to 231243 and 231256	10

## Numerical List of Parts

No.	Plate	Name	Each
200271E	12311	Feed Regulating Handle Shaft Crank Link Hinge Screw (lower)	\$ 05
200278H	12311	Arm Cap Screw	05
200291E	12307	Feed Regulating Handle Shaft Crank Link Hinge Screw (upper), for 204214	05
200299H	12319	Bobbin Winder Stop Latch Thumb Lever Hinge Screw, for 227523	05
200299H	12319	Bobbin Winder Stop Latch Thumb Lever Joint Screw, for 227523	05
200299H	12319	Bobbin Winder Stop Latch Trip Lever Hinge Screw, for 227523	05
200300C	12309	Thread Controller Roller Screw, for 205987	04
200309E	12309	Tension Release Lever Screw, for 204874 and 213747	04
200319C	12309	Thread Controller Spring Stop Driving Gear Hinge Screw, for 204874	04
200328C	12311	Balance Wheel Position Screw, for 204805	04
200335C	12311	Balance Wheel Set Screw, for 204805	04
200335C	12311	Take-up Cam Set Screw, for 212920	04
200336D	14530	Shirt Facing Folder Bracket Lever Adjusting Screw, for 230016	04
200347C	12321	Take-up Cam Set Screw, for 213925	03
200355H	12319	Bobbin Winder Spool Holder Tension Disc Screw Set Screw, for 202480	03
200362C	12311	Feed Regulating Handle Shaft Sleeve Set Screw	03
200362C	12311	Hook Counter Shaft Driving Gear Set Screw, for 203245	03
200362C	12311	Hook Driving Shaft Bushing Set Screw, for 214055 and 214056	03
200362C	12311	Presser Bar Lifting Bracket Position Guide Set Screw	03
200363C	12338	Thread Unwinder Thread Eyelet Rod Set Screw, for 202488	03
200366H	11902	Thread Controller Spring Stud Set Screw, for 204533 and 213746	02
200368H	12309	Thread Retainer Stud Set Screw, for 204533 and 213746	02
200374C	12321	Under Driver Lever Brake Leather Set Screw, for 227735	02
200380C	12319	Bobbin Winder Pulley Set Screw, for 202473	02
200380C	11862	Strip Reel Supporting Rod Latch Bracket Spring Collar Set Screw, for 227221	02
200382C	11902	Feed Driving Cam Set Screw, for 203233	02
200383C	12311	Feed Driving Rock Shaft Crank Set Screw, for 204200	02
200383C	12311	Hook Bevel Pinion Set Screw, for 203242	02

## Numerical List of Parts

No.	Plate	Name	Eac
200383c	12311	Hook Counter Shaft Gear Set Screw, for 203246 .....	\$ 0
200383c	12311	Take-up Cam Position Screw Check Screw, for 203268 and 213925 .....	0
200383c	12311	Thread Unwinder Spool Rest Rod Set Screw, for 202190 .....	0
200383c	12311	Thread Unwinder Spool Rest Set Screw, for 202188 .....	0
200387c	11902	Lifting Lever Driving Crank Position Screw Set Screw, for 213925 .....	0
200393c	12308	Hook Counter Shaft Collar Set Screw, for 203244 .....	0
200393c	12308	Hook Driving Shaft Collar Set Screw, for 203250 and 213141 .....	0
200397H	12309	Face Plate Thread Guide Set Screw, for 204533 and 213746 .....	02
200397H	12309	Tension Stud Set Screw, for 204533 and 213746 .....	02
200400c	11902	Lifting Lever Driving Crank Position Screw, for 213925 .....	04
200430c	12311	Take-up Cam Position Screw, for 212920 and 213925 .....	08
200437c	12311	Feed Driving Cam Position Screw, for 203233 .....	06
200439c	12311	Arm Shaft Bushing Position Screw, for 204412, 204413, 204417 and 204421 .....	05
200439c	12311	Hook Counter Shaft Driving Gear Position Screw, for 203245 .....	05
200491B	12305	Presser Bar Thumb Screw (pressure regulating) .....	25
200503B	12310	Needle Bar Screw Bushing (upper) .....	05
200504E	12310	" " " " (lower) .....	05
200504E	12310	Presser Bar Screw Bushing (lower) .....	05
200516E	12311	Hook Driving Shaft Bearing Screw, for 214055 and 214056 .....	08
200522c	12319	Knee Lifter Rock Lever Knee Plate Arm Set Screw, for 227781 .....	06
200524c	12321	Under Driver Driving Pulley Shaft Set Screw, for 227731 .....	06
200524c	12321	Under Driver Lever Brake Set Screw, for 227735 .....	06
200524c	12321	Under Driver Lever Compression Shaft Set Screw, for 202463 .....	06
200526c	12319	Knee Lifter Rock Lever Knee Plate Set Screw, for 202453 .....	05
200529c	12319	Knee Lifter Rock Lever Rod Set Screw, for 227781 .....	05
200530c	12321	Strip Reel Disc Rod Clamp Set Screw, for 227205 .....	05
200530c	12321	Strip Reel Disc Rod Set Screw, for 227108 .....	05

## Numerical List of Parts

No.	Plate	Name	Each
200530c	12321	Strip Reel Supporting Rod Set Screw, for 227205 .....	\$ 05
200530c	12321	Under Driver Treadle Pitman Rod Clamp Set Screw, for 204126 .....	05
200540B	11862	Under Driver Treadle Adjustable Connecting Slide Set Screw, for 227976 ..	10
200550c	12311	Presser Bar Lifter Hinge Screw .....	08
200555H	12312	Hook Bevel Gear Socket Screw, for 203308 and 203518 .....	05
200570E	12311	Bed Hinge Connection Screw .....	05
200577H	12311	Thread Controller Plate Screw, for 204874 and 213747 .....	02
200577H	12311	Throat Plate Screw .....	02
200581H	12309	Thread Controller Spring Guard Screw, for 205987 .....	02
200594F	12312	Bobbin Case Tension Spring Screw, for 203209 and 203500 .....	02
200594F	12312	Bobbin Case Thread Guide Screw, for 203209 .....	02
200600F	12312	Hook Gib Hinge Screw, for 203240 .....	02
200616E	12312	" " Screw, for 203240 and 203512 .....	02
200632B	12309	Tension Stud, for 204272 .....	20
200658c	12307	Needle Bar Connecting Link Hinge Screw Stud, for 203268 .....	10
200668c	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud, for 204193 ..	06
200684H	12308	Thread Controller Adjusting Collar Screw, for 201273 .....	04
200731E	11862	Strip Reel Disc Rod Collar Wing Screw, for 227210 .....	12
200748H	12319	Machine Clamp Screw, for 227488 .....	10
200840E	12311	Hook Counter Shaft Oil Packing (wick) Stop Screw, for 214055 and 214056 .....	10
200935F	11903	Vibrating Presser Bar Hinge Screw, for 208389 .....	08
200963E	12311	Arm Screw .....	06
200984E	12312	Bobbin Case Tension Spring Regulating Screw, for 203209 and 203500 .....	04
201030F	11903	Needle Holder Screw, for 231383, 231385, 231388 and 231389 .....	02
201506B	11902	Presser Bar Thumb Screw Check Nut ..	06
201519c	12307	Needle Bar Connecting Link Hinge Screw Stud Nut, for 203268 .....	03
201522E	12310	Feed Driving Cam Fork Lever Connection Hinge Screw Nut, for 206554 and 206555 .....	03
201524E	12310	Feed Driving Cam Fork Lever Shaft Sleeve Set Screw Nut .....	03
201525E	12310	Feed Bar Hinge Screw Nut, for 203309 ..	03

## Numerical List of Parts

No.	Plate	Name	Eac
201525E	12310	Feed Driving Cam Fork Lever Connection Clamp Screw Stud Nut, for 204193	\$ 0.
201525E	12310	Lap Seam Feller Base Plate Screw Nut	0.
201531E	12308	Feed Lifting Rock Shaft Slide Block Hinge Screw Nut, for 203238	0.
201531E	12308	Shirt Facing Folder Bracket Lever Hinge Screw Nut, for 231241 to 231243 and 231256	0.
201534E	11902	Vibrating Presser Bar Hinge Screw Nut, for 208389	0.
201535E	11902	Feed Dog Support Screw Nut	0.
201537H	12319	Bobbin Winder Stop Latch Thumb Lever Joint Screw Nut, for 227523	0.
201537E	12319	Shirt Facing Folder Bracket Lever Adjusting Screw Nut, for 230016	0.
201539E	11903	Shirt Facing Folder Arm Bracket Screw Nut, for 231241 to 231243 and 231256	0.
201572B	12309	Tension Thumb Nut, for 204272	0.
201582B	12319	Machine Clamp Screw Wing Nut, for 227488	0.
201816	12307	Take-up Lever Roller, for 204554	12
202005	12308	Arm Screw Washer	01
202036	12310	Feed Regulating Handle Stop Pin, for 204412, 204413, 204417 and 204421	01
*202056	12312	Bobbin Case Base Latch Pin, for 203210	—
*202056	12312	" " Latch Pin, for 203500	—
202062	12308	Throat Plate Position Pin, for 214055 and 214056	01
202075	12309	Tension Release Plunger, for 204272	0.
202084	12309	Thread Controller Roller Guard Washer, for 205987	01
202087	11903	Thread Controller Spring Stop, for 213746	0.
202088	10483	Thread Controller Spring Stud with 204925, for 213747	10
202090	12309	Presser Foot Hinge Pin, for 221410, 221443, 223901, 229242, 229244, 229246, 229248, 229250, 229254 and 230831	01
202090	12309	Tension Disc Position Pin, for 204533 and 213746	01
202091	12309	Thread Retainer Sleeve, for 204059	0.
202092	12309	" " Spring, for 204059	01
202098	12309	" Controller Roller, for 205987	0.
202126	12308	Feed Lifting Cam Position Pin, for 203235	01
202126	12308	Hook Driving Shaft Bearing Position Pin	01
202203	—	Knee Lifter Rock Lever Knee Plate 202453 with 202454, for 227787	30
202248H	12307	Arm Cap Screw Washer	0.
202258	12345	Bed Hinge Connection	0.

## Numerical List of Parts

No.	Plate	Name	Each
02276	12308	Feed Lifting Rock Shaft Slide Block, for 203238	\$ 15
02277	—	Needle Bar Connecting Stud Oil Packing (wick), for 204249	01
02299	—	Arm Shaft Oil Packing (wick)	01
02299	—	Hook Counter Shaft Oil Packing (wick), for 214055 and 214056	01
02299	—	Hook Driving Shaft Bearing Oil Packing (wick), for 203248	01
02299	—	Hook Driving Shaft Bushing Oil Packing (wick)	01
02299	—	Hook Saddle Oil Packing (wick), for 203307	01
202302	12321	Under Driver Lever Compression Shaft Cotter Pin, for 202464	01
202302	12321	Knee Lifter Connection Lever Lifting Rod Cotter Pin, for 227308	01
202305c	12307	Feed Driving Rock Shaft Center	0.
202305c	12307	" Lifting Rock Shaft Center	0.
202402	12309	Tension Disc, for 204272	0.
202407	12309	" Spring, for 204272	0.
202445	11125	Knee Lifter Connection Lever with 202446, for 227311 and 227312	0.
202446	12306	Knee Lifter Connection Lever Pin, for 202445	0.
202451	11125	Knee Lifter Rock Lever Lug with two wood screws $\frac{3}{4}$ in., No. 13H, for 227782	0.
202452	12319	Knee Lifter Rock Lever Lug Hinge Pin, for 227782	0.
202453	11125	Knee Lifter Rock Lever Knee Plate with 200526c, for 202203 and 202985	17
202454	11125	Knee Lifter Rock Lever Knee Plate Arm (long), for 202203	12
202455	11125	Knee Lifter Rock Lever Knee Plate Arm (short), for 202985	10
202457	—	Under Driver Cone Pulley (grooved), two speed, $3\frac{3}{4}$ in. and $4\frac{1}{4}$ in. belt diam., with 227553, for 227738	1 35
202459	11126	Under Driver Driving Pulley, $7\frac{1}{2}$ in. diam., with 202460 and 204105, for 227738 and 227740	75
202460	11126	Under Driver Driving Pulley Friction Ring (leather), for 202459	0.
202461	11126	Under Driver Driving Pulley Shaft 227743 with 204107, 204108 and eleven 25303, for 227738 and 227740	1 00
202463	11126	Under Driver Lever (compression) with 204117, two each 200524c and 202845, for 227738 and 227740	45



## Numerical List of Parts

No.	Plate	Name	Eac
202464	11126	Under Driver Lever Compression Shaft with 202302, for 227738 and 227740....	\$ 2
202468	11126	Under Driver Treadle Pitman Rod (lower or upper), for 227980 .....	0
Nos. 202470 to 202474, for 227523.			
202470	12320	Bobbin Winder Base .....	11
202471	12320	" " Frame .....	11
202472	12319	" " Spring .....	01
202473	12320	" " Pulley with 200380c.....	20
202474	12320	" " Spindle .....	15
202477	12319	" " Stop Latch Thumb Lever, for 227523 .....	15
202478	12319	Bobbin Winder Stop Latch Trip Lever, for 227523 .....	10
Nos. 202480 to 202483, for 202485.			
202480	12320	Bobbin Winder Spool Holder Base with 200355u and 202484 .....	15
202481	12320	Bobbin Winder Spool Holder Base Spool Pin .....	05
202482	12319	Bobbin Winder Spool Holder Tension Disc (lower or upper) .....	02
202483	12319	Bobbin Winder Spool Holder Tension Disc Spring (brass) .....	01
202484	12319	Bobbin Winder Spool Holder Tension Disc Thread Guide, for 202480 .....	01
202485	12320	Bobbin Winder Spool Holder complete, Nos. 200014e, 202480, 202481, 202483, two 202482 and one wood screw 1 in. No. 13u, for 227524 .....	35
202486	---	Thread Unwinder Spool Pin, for 202488	03
202487	---	" " Rest, for 202488	25
Nos. 202488 to 202492, for 202795.			
202488	10278	Thread Unwinder Spool Rest 202487 with 200363c, 200383c and two 202486	35
202489	10278	Thread Unwinder Spool Rest Rod.....	05
202490	10278	" " Stand with 200383c .....	20
202491	10278	Thread Unwinder Spool Washer (steel)	02
202492	10278	" " Weight with 202493 .....	25
202493	---	Thread Unwinder Spool Weight Center with 202793 and 203163, for 202492....	10
202622	12306	Feed Regulating Handle Shaft Sleeve Washer, for 204207 .....	01
202622	12306	Hook Saddle Screw Washer, for Machines Nos. 24 w 10 and 24 w 109 .....	01
202793	10278	Thread Unwinder Spool Weight Thread Guide, for 202493 .....	05

## Numerical List of Parts

No.	Plate	Name	Each
202794	10278	Thread Unwinder Thread Eyelet Rod, for 202795 .....	\$ 15
202795	10278	Thread Unwinder complete, Nos. 202488 to 202490, 202794, two each 202491, 202492 and three wood screws $\frac{7}{8}$ in. No. 13 .....	1 25
202845	12321	Under Driver Lever Compression Plate Rivet, for 202463 .....	01
202923	---	Presser Foot Shank, for 224410, 224443, 223901, 223904, 229167, 229169, 229172, 229174, 229176, 229178, 229180, 229192, 229194, 229198, 229202, 229204, 229220, 229222, 229224, 229226, 229228, 229242, 229244, 229246, 229248, 229250, 229254, 229369 and 230831 .....	60
202926	---	Presser Foot Shank, for 229188, 229216, 229322, 229561, 229840 and 229935 ....	75
202930	---	Presser Foot Shank, for 229218 and 229965 .....	60
202985	---	Knee Lifter Rock Lever Knee Plate 202453 with 202455, for 227783 .....	25
203163	---	Thread Unwinder Spool Weight Center Bushing, for 202493 .....	03
203172	2307	Take up Cam Friction Washer .....	05
203202	2333	Arm Shaft, for Machines Nos. 24 w 1, 24 w 4 and 24 w 10 .....	1 75
203208	2312	Bobbin, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108....	05
203209	2312	Bobbin Case Cap with 200984e, 203214, 203215 and two 200594e, for 203217 ..	25
203210	2312	Bobbin Case Base with 202056, 203214 to 203213 and 203216, for 203217 ....	55
Nos. 203211 to 203213, for 203210.			
203211	2312	Bobbin Case Base Latch .....	05
203212	2312	" " " " Plunger .....	02
203213	2312	" " " " Spring .....	01
203214	2312	" " Tension Spring, for 203209 and 203500 .....	10
203215	2312	Bobbin Case Thread Guide, for 203209..	05
203216	2312	" " Washer (cloth), for 203210 and 203500 .....	Per 100 25
203217	2312	Bobbin Case complete, Nos. 203209 and 203210, for 203290 .....	80
203233	2305	Feed Driving Cam with 200382c and 200437c .....	50
203235	2308	Feed Lifting Cam with 202426, for 243454 .....	75
203238	2308	Feed Lifting Rock Shaft Slide Block 202276 with 200243e and 201531e, for 203315 .....	35

## Numerical List of Parts

No.	Plate	Name	Each
*203239	—	Hook (sewing), for 203240	\$ -
203240	12312	Hook 203239 with 200600e, 200616e and 203251, for 203290	2 4
203241	12312	Hook Bevel Gear Socket, 24 teeth, for 203308	8
203242	12305	Hook Bevel Pinion, 24 teeth, with two 200383c	1 0
203244	12308	Hook Counter Shaft Collar with two 200393c	2
203245	11902	Hook Counter Shaft Driving Gear, 44 teeth, with 200362c and 200439c, for 213154	1 0
203246	12305	Hook Counter Shaft Gear, 22 teeth, with two 200383c	7
203247	12333	Hook Driving Shaft, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 10	1 6
203248	12334	Hook Driving Shaft Bearing with 202299, for 214055 and 214056	2
203249	12305	Hook Driving Shaft Bushing (eccentric), for 214055 and 214056	2
203250	11911	Hook Driving Shaft Collar with two 200393c (obsolete)	2
203251	12312	Hook Gib, for 203240	4
203254	12312	" Washer, for 203308	2
203268	12334	Take-up Cam 212920 with 200383c, 200658c and 201519c, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	1 5
203290	12312	Hook and Bobbin Case complete, Nos. 203217 and 203240, for 203308	3 06
203301	12334	Bed Slide (front)	35
203303	12334	Feed Bar with 204189, for 203309	50
203305	12334	" Lifting Rock Shaft, for 203315	30
203306	12333	Hook Counter Shaft	45
203307	12335	" Saddle (left or right), with 202299, for 203308	1 25
203308	12335	Hook Saddle (left or right) complete, Nos. 200555r, 203241, 203251, 203290 and 203307, for 203462	5 25
203309	—	Feed Bar 203303 with 200214e, 201525e and 204200	1 00
203313	12386	Thread Guide	10
203315	12334	Feed Lifting Rock Shaft 203305 with 203238	65
203329	11904	Bed Slide (back)	30
203357	11902	Vibrating Presser Foot Screw Washer, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108	01

## Numerical List of Parts

No.	Plate	Name	Each
203462	—	Hook Saddle Combination (left and right) complete, Nos. two 203308, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108	\$10 50
203470	11903	Bobbin, for Machines Nos. 24 w 10 and 24 w 109	06
203473	11903	Bobbin Case Latch Plunger, for 203500	10
203474	11903	" " " Spring, for 203500	01
203476	—	" " Lever Eccentric, for 203516	30
203478	11235	" " " Slide Stud, for 203518	10
203498	—	" " for 203500	—
203499	11235	" " Lever, for 203518	60
203500	11235	Bobbin Case complete, Nos. 200591e, 200984e, 202056, 203214, 203216, 203473, 203474, 203498 and 203648, for 203514	1 00
203506	11235	Bobbin Case Lever Fulcrum, for 203518	40
203508	11236	Hook Saddle (left or right) with 200066d, for 203518	1 60
203511	—	Hook (sewing), for 203512	—
203512	11235	" 203511 with 203513 and two 200616e, for 203514	2 20
203513	11235	Hook Gib, for 203512	45
203514	11235	Hook and Bobbin Case complete, Nos. 203500 and 203512, for 203518	3 00
203516	11235	Hook Washer 213036 with 203476 and two 201243, for 203518	50
203518	11236	Hook Saddle (left or right) complete, Nos. 200555r, 203478, 203499, 203506, 203508, 203514, 203516 and 213810, for 203519	7 00
203519	11236	Hook Saddle Combination (left and right) complete, Nos. two 203518, for Machines Nos. 24 w 10 and 24 w 109	14 00
203618	11903	Bobbin Case Latch, for 203500	10
203697	11911	Needle Holder, needles $\frac{3}{8}$ in. apart and must be set diagonally, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ and $1\frac{1}{8}$ in., with 200068n and two 200141e (obsolete)	1 00
Nos. 203701 to 203705, (obsolete).			
203701	11911	Needle Holder, needles $\frac{3}{8}$ in. apart and must be set diagonally, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ , $\frac{9}{8}$ and $1\frac{1}{8}$ in., with 200068n and two 200141e	1 25
203702	11911	Needle Holder, needles $\frac{1}{2}$ in. apart and must be set diagonally, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ and $1\frac{1}{8}$ in., with 200068n and two 200141e	1 25
203703	11911	Needle Holder, in gauges $\frac{3}{8}$ , $\frac{1}{2}$ and $\frac{5}{8}$ in., with 200068n and two 200141e	1 00

No.	Plate	Name	Eac
203704	11911	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 200068u and two 200141e .....	\$ 1.2
203705	11911	Needle Holder, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., with 200068u and two 200141e .....	1.5
203711	11911	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 200068u and two 200141e (obsolete) .....	1.5
203713	11911	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., with 200068u and two 200141e (obsolete) .....	1.5
203714	11911	Needle Holder, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 200068u and two 200141e (obsolete) .....	1.0
203766	11903	Tension Release Lever, for 213747 .....	1
204058b	12309	Thread Retainer Stud, for 204059 .....	0
204059	12309	Thread Retainer complete, Nos. 202091, 202092 and 204058u, for 204871 and 213747 .....	1
		Nos. 204100 to 204102, for 227553.	
204100	12321	Under Driver Cone Pulley Ball Bearing Cup .....	1
204101	12321	Under Driver Cone Pulley Ball Cap .....	0
204102	12321	" " " " Retaining Spring .....	0
204105	12321	Under Driver Driving Pulley Friction Ring Stop Pin, for 202459 .....	0
204107	12321	Under Driver Driving Pulley Shaft Ball Cup, for 202461 .....	10
204108	12321	Under Driver Driving Pulley Shaft Ball Cup Cap, for 202461 .....	0
		Nos. 204109 to 204112, for 227743.	
204109	—	Under Driver Driving Pulley Shaft Oil Plug .....	01
204110	—	Under Driver Driving Pulley Shaft Oiling Leather .....	02
204111	—	Under Driver Driving Pulley Shaft Oiling Leather Pin (leather) .....	01
204112	12322	Under Driver Driving Pulley Shaft Oiling Wick .....	01
204113	12321	Under Driver Driving Pulley Shaft Thimble, for 227738 and 227740 .....	10
204117	12321	Under Driver Lever Compression Plate, for 202463 .....	10
204122	12322	Under Driver Lever Brake Leather, for 227735 .....	05

No.	Plate	Name	Each
204123	12322	Under Driver Lever Brake Spring, for 227738 and 227740 .....	\$ 05
204126	12321	Under Driver Treadle Pitman Rod Clamp with two 200530c, for 227980 .....	20
204127	11126	Under Driver Treadle Stand (left) with two wood screws 1 in. No. 13, for 227981 .....	08
204128	11126	Under Driver Treadle Stand (right) with two wood screws 1 in. No. 13, for 227981 .....	08
204161	—	Arm, for 204412 .....	—
204163	12305	" Cap .....	10
204189	12306	Feed Bar Spring Hook, for 203303 and 204200 .....	01
204192	—	Feed Driving Cam Fork Lever with 204195 and 204293, for 204198 .....	85
204193	12334	Feed Driving Cam Fork Lever Connection with 200668c and 204525e, for 206554 and 206555 .....	35
204194	12306	Feed Driving Cam Fork Lever Connection Clamp with 200031c, for 204198 .....	45
204195	—	Feed Driving Cam Fork Lever Shaft, for 204192 .....	—
204196	12307	Feed Driving Cam Fork Lever Shaft Sleeve (split) .....	25
204197	12306	Feed Driving Cam Fork Lever Shaft Collar 294334 with 200113e .....	15
204198	12334	Feed Driving Cam Fork Lever complete, Nos. 204192 and 204194 .....	1 30
204199	12333	Feed Driving Rock Shaft, for 206554 .....	35
204200	12305	" " " " Crank with 204189 (on left side) and two 200383c, for 203309 .....	35
204202	12308	Feed Lifting Cam Fork with 200027e .....	75
204206	12306	" Regulating Handle, for 204207 .....	10
204207	11904	" " " " 204206 with 200098e, 202622, 204208 to 204210 and 204213, for 204214 .....	55
		Nos. 204208 to 204210, for 204207.	
204208	12307	Feed Regulating Handle Adjustable Stop .....	05
204209	12307	" " " Position Pin .....	01
204210	12306	" " " Shaft .....	20
204211	12306	" " " " Crank with 200078c, for 204214 .....	20
204212	12307	Feed Regulating Handle Shaft Crank Link, for 204214 .....	15
204213	12307	Feed Regulating Handle Shaft Sleeve (split), for 204207 .....	15

## Numerical List of Parts

No.	Plate	Name	Eac
204214	—	Feed Regulating Handle complete, Nos. 200291e, 204207, 204211 and 204212....	\$ 9
204243	11903	Bobbin Case Lever Eccentric Position Pin, for 203516 .....	0
204248	12307	Needle Bar Connecting Link, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	3
204249	12308	Needle Bar Connecting Stud with 200072c and 202277 .....	40
204251	12334	Presser Bar (hollow), with 200074e ....	80
204252	12308	" " Lifter .....	20
204253	12308	Presser Bar Lifting Bracket with 200086c, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	40
204254	12307	Presser Bar Lifting Bracket Position Guide, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	30
204255	12310	Presser Bar Spring, for Machines Nos. 24 w 1, 24 w 10, 24 w 105 and 24 w 109..	10
204258	12386	Presser Bar Spring (heavy), for Machines Nos. 24 w 4 and 24 w 106.....	10
204263	12310	Take-up Lever Bearing with 204264, for 206601 .....	15
204264	12306	Take-up Lever Bearing Position Pin, for 204263 .....	01
204265	—	Take-up Lever Oil Guard, for 204553 ....	05
204268	12310	Tension Release Slide 215609 with 204269 .....	20
204269	12308	Tension Release Slide Spring, for 204268	02
204271	12309	" Washer, for 204272 .....	05
204272	12309	Tension complete, Nos. 200632b, 201572b, 202075, 202407, 204271 and two 202402, for 204874 and 213717 .....	50
204273	12308	Thread Controller Adjusting Collar 215610 with 200684b (for Presser Bar), for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	15
204274	12309	Thread Controller Plate, for 205987 ....	12
204275	12309	" " Roller Guard, for 205987	10
204276	12309	" " Spring, for 204280 <sup>*25/100</sup> 03 Nos. 204277 to 204280, for 204874.	03
204277	12309	Thread Controller Spring Stop .....	15
204278	12309	" " " " Driving Gear .....	10
204279	12309	Thread Controller Spring Stud with 204925 .....	10

## Numerical List of Parts

No.	Plate	Name	Each
204280	12309	Thread Controller and Spring complete, Nos. 204276 and 205987, for 213747 ....	\$ 45
204281	12309	Thread Retainer Guide Wire, for 204533 and 213746 .....	01
204290	—	Arm, for 204413 .....	—
204293	12308	Feed Driving Cam Fork Lever Shaft Position Pin, for 204492 .....	01
204294	12333	Feed Driving Rock Shaft, for 206555 ....	35
204326	12338	Needle Bar Packing Cord .....	25
204327	12306	Presser Bar Packing Washer (felt) .....	25
204333	12309	Thread Controller Spring Guard, for 205987 .....	08
*204412	—	Arm 204461 with 200439c, 202036 and 204705, for Machines Nos. 24 w 1, 24 w 4 and 24 w 10 .....	—
*204413	—	Arm 204290 with 200439c, 202036 and 204705, for Machines Nos. 24 w 105, 24 w 106 and 24 w 109 .....	—
*204417	—	Arm 204474 with 200439c, 202036 and 204705, for Machines Nos. 24 w 5 and 24 w 6 .....	—
*204421	—	Arm 204497 with 200439c, 202036 and 204705, for Machines Nos. 24 w 107 and 24 w 108 .....	—
204440	12333	Arm Shaft Connection with four 200054e	75
*204471	—	Arm, for 204417 .....	—
204475	10483	Lifting Lever with 200122u, for 208389..	1 00
204478	10483	" " Driving Crank Link, for 208389 .....	40
204479	11902	Lifting Lever Driving Crank Position Screw Set Screw Packing (brass), for 213925 .....	01
204480	10483	Lifting Lever Stud Lifting Bracket with 200086c and 200181b, for 208390 .....	75
204481	11902	Presser Bar Lifting Bracket Position Guide, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	35
204482	11902	Presser Bar Spring, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 ..	15
204484	10483	Needle Bar Connecting Link with 200188c, for 213005 .....	50
204488	13041	Vibrating Presser Bar 215628 with 204493 and two 200138b (obsolete), for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	60
204489	13041	Vibrating Presser Bar 215612 with 204493 and two 200138b (obsolete), for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	60

Numerical List of Parts

No.	Plate	Name	Eac
204492	13041	Vibrating Presser Bar Position Guide (obsolete), for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	\$ 3
204493	11902	Vibrating Presser Bar Spring, for 204488, 204489 and 206659 .....	11
*204497	—	Arm, for 204421 .....	—
204533	12333	Face Plate with 200366n, 204730, two each 200368n, 202090, 204281 and three 200397n, for 204874 .....	1 11
204553	12386	Take-up Lever with 204265, for 206601 ..	75
204554	12386	Take-up Lever complete, Nos. 200042e, 201816 and 206601 .....	1 00
204555	12338	Tension Release Lever, for 204874 .....	10
204556	12386	Thread Guide .....	05
204705	12334	Arm Shaft Bushing (front), for 204412, 204413, 204417 and 204421 .....	35
204730	12386	Face Plate Thread Guide, for 204533 and 213746 .....	03
204805	12333	Balance Wheel, 5 1/2 in. diam. (belt groove 3 in. diam.) with 200328c and 200335c ..	1 00
204870	11904	Needle Bar (hollow) (obsolete) .....	80
204874	12333	Face Plate complete, Nos. 200135c, 200319c, 200577n, 204277 to 204280, 204533, 204555, two each 200309e, 204059 and 204272, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 100 and 24 w 109 .....	3 50
204925	12306	Thread Controller Spring Stud Washer, for 202088 and 204279 .....	01
205987	12309	Thread Controller complete, Nos. 200300c, 200581n, 202084, 202098, 204271, 204275 and 204333, for 204280 .....	42
206554	—	Feed Driving Rock Shaft 204199 with 200002e, 201522e and 204193, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 10 .....	80
206555	—	Feed Driving Rock Shaft 204294 with 200002e, 201522e and 204193, for Machines Nos. 24 w 105 to 24 w 109 .....	80
206601	—	Take-up Lever 204553 with 204263, for 204554 .....	90
206658	11909	Lifting Presser Foot, 46 needle hole, needles 3/8 in. apart, for needle sizes 5 to 7, in gauges 3/8, 7/8 and 1 1/8 in., for 206678 .....	1 00
206659	11902	Vibrating Presser Bar 206660 with 204493 and two 200138n, for 208389 ..	60

205520 — Study Feed Drive Base Part for 206191 and 206194 ..... 02

Numerical List of Parts

No.	Plate	Name	Each
206660	—	Vibrating Presser Bar, for 206659 .....	\$ 45
206661	11839	Foot, for 206659, 229642 and 229657, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 ..	1 50
		Nos. 206666 to 206671, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108.	
206666	11909	Lifting Presser Foot, 46 needle hole, needles 3/8 in. apart, for needle sizes 5 to 7, in gauges 3/8 and 7/8 in., for 206668, 222302 and 222304 .....	1 50
206667	11909	Lifting Presser Foot, 50 needle hole, needles 3/8 in. apart, for needle sizes 3 to 5, in gauges 3/8 and 7/8 in., for 206668, 222302 and 222304 .....	1 50
206668	11839	Vibrating Presser Foot, for 206659, 206666, 206667, 222301 and 222303 .....	1 00
206669	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges 3/8 and 7/8 in., for 206670 .....	1 50
206670	11839	Vibrating Presser Foot, for 206659, 206669 and 206720 .....	1 00
206671	11839	Vibrating Presser Foot, for 206659, 229644 and 229656 .....	1 50
206675	11839	Vibrating Presser Foot, for 206659, 222301 and 222303, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 ..	1 00
206677	11909	Lifting Presser Foot, 46 needle hole, needles 1/2 in. apart, for needle sizes 5 to 7, in gauges 1/2, 3/4 and 7/8 in., for 206678, 222302 and 222304 .....	1 50
206678	11839	Vibrating Presser Foot, for 206658, 206659, 206677, 222301 and 222303, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	1 00
206682	11908	Lifting Presser Foot, 35 needle hole, for needle sizes 12 to 14, in gauges from 1/4 to 3/4 in., in steps of 1/8 in., for 229649 .....	2 50
206690	11839	Vibrating Presser Foot, for 206659 and 229646, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	1 50
		Nos. 206708 to 206713, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108.	
206708	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges 3/8 and 7/8 in., for 206710 .....	1 50
206709	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges 3/8 and 7/8 in., for 206710 .....	1 50

## Numerical List of Parts

No.	Plate	Name	Each
206710	11839	Vibrating Presser Foot, for 206659, 206708 and 206709 .....	\$ 1 00
206711	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ and $\frac{1}{8}$ in., for 206713 .....	1 50
206712	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{8}$ in., for 206713 .....	1 50
206713	11839	Vibrating Presser Foot, for 206659, 206711 and 206712 .....	1 00
206714	11839	Vibrating Presser Foot, for 222301 and 222303 .....	1 00
206719	11839	Vibrating Presser Foot, for 222301 and 222303 .....	1 00
206720	11909	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in $\frac{3}{16}$ in. gauge, for 206670 .....	1 50
208389	—	Lifting Lever 204475 with 200935E, 201534E, 204478 and 206659, for 208390, .....	2 10
208390	—	Lifting Lever Stud Lifting Bracket 204480 with 208389, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108. ....	2 85
211006	12121	Feed Dog, for 211858 and 223902 .....	75
		Nos. 211010 to 211013, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108.	
211010	11906	Feed Dog, for 211011 .....	60
211011	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{4}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{32}$ in., for 211010 .....	1 25
211012	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 211765 and 211766. ....	1 25
211013	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 211765 and 211766 .....	1 25
211019	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211020, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108 .....	1 50
211020	12123	Feed Dog, for 211019 .....	75
211021	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{8}$ to $\frac{3}{16}$ in., in steps of $\frac{1}{32}$ in., for 211732 and 211733, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108. ....	1 25

## Numerical List of Parts

No.	Plate	Name	Each
		Nos. 211023 to 211026, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108.	
211023	11905	Feed Dog, for 211024 .....	\$ 75
211024	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211023 .....	1 50
211025	12123	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211042 and 211761 .....	1 25
211026	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., for 211042, 211761 and 211762. ....	1 25
		Nos. 211031 to 211034, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108.	
211031	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866 .....	1 25
211032	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866 .....	1 25
211033	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211769 and 211770 .....	1 50
211034	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge, for 211769 and 211770 .....	1 50
211042	11906	Feed Dog, for 211025 and 211026 .....	60
211047	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{32}$ in., for 211732 and 211733, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108 .....	1 25
211714	11905	Feed Dog, for 211860, 211981, 211989, 212051, 212052 and 212090 .....	75
211725	11906	Feed Dog, for 211861 .....	60
211732	11906	" " " 211021, 211047, 212053 and 212054 .....	60
211733	11906	Feed Dog, for 211021, 211047, 212053 and 212054 .....	60
211761	11906	Feed Dog, for 211025, 211026 and 212064 to 212066 .....	60
211762	11906	Feed Dog, for 211026 and 212064 to 212066 .....	60
211765	12104	Feed Dog, for 211012, 211013 and 212067 to 212069 .....	60
211766	12104	Feed Dog, for 211012, 211013 and 212067 to 212069 .....	60

No.	Plate	Name	Each
211769	12104	Feed Dog, for 211033 and 211034 .....	\$ 7
211770	12104	" " " 211033 and 211034 .....	7
211858	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{5}{16}$ and $\frac{7}{16}$ in., for 211006, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 50
211860	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{5}{16}$ in., for 211714, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211861	12121	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211725, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211865	12122	Feed Dog, for 211031, 211032, 211912 and 212061 to 212063 .....	60
211866	12122	Feed Dog, for 211031, 211032, 211912 and 212061 to 212063 .....	60
211867	12122	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211868	12122	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211869	12122	Feed Dog, for 211867, 211868 and 212058 to 212060 .....	75
211871	12123	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{7}{16}$ to $\frac{9}{16}$ in., in steps of $\frac{1}{16}$ in., for 211873, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211872	12123	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211873, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211873	12123	Feed Dog, for 211871, 211872 and 212055 to 212057 .....	75

No.	Plate	Name	Each
211912	12122	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{7}{16}$ to $\frac{9}{16}$ in., in steps of $\frac{1}{16}$ in., for 211865 and 211866, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	\$ 1 25
211981	12121	Throat Plate, 53 needle hole, for needle sizes 1 to $3\frac{1}{2}$ , in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{5}{16}$ in., for 211714, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
211989	12121	Throat Plate, 60 needle hole, for needle sizes 9 to 1, in gauges $\frac{1}{16}$ , $\frac{3}{16}$ and $\frac{5}{16}$ in., for 211714, for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108 .....	1 25
		Nos. 212051 to 212054, for Machines Nos. 21 w 10 and 21 w 109.	
212051	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ and $\frac{5}{16}$ in., for 211714 .....	1 25
212052	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{5}{16}$ and $\frac{7}{16}$ in., for 211714 .....	1 25
212053	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211732 and 211733 .....	1 25
212054	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211732 and 211733 .....	1 25
		Nos. 212055 to 212060 (obsolete), for Machines Nos. 21 w 1, 21 w 4 to 21 w 6 and 21 w 105 to 21 w 108.	
212055	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211873 .....	1 25
212056	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211873 .....	1 25
212057	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{7}{16}$ to $\frac{9}{16}$ in., in steps of $\frac{1}{16}$ in., for 211873 .....	1 25
212058	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{3}{16}$ to $\frac{5}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869 .....	1 25
212059	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{5}{16}$ to $\frac{7}{16}$ in., in steps of $\frac{1}{16}$ in., for 211869 .....	1 25

Numerical List of Parts

No.	Plate	Name	Eac
212060	12136	Throat Plate 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{3}{16}$ to $\frac{1}{8}$ in., in steps of $\frac{1}{32}$ in., for 211869.....	\$ 1 2
Nos. 212061 to 212069, for Machines Nos. 24 w 10 and 24 w 109.			
212061	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211865 and 211866	1 21
212062	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211865 and 211866	1 21
212063	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211865 and 211866	1 25
212064	12136	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211761 and 211762	1 25
212065	12136	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211761 and 211762	1 25
212066	12136	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges from $\frac{1}{4}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., for 211761 and 211762	1 25
212067	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{1}{2}$ in., for 211765 and 211766	1 25
212068	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{1}{2}$ in., for 211765 and 211766	1 25
212069	11905	Throat Plate, 40 needle hole, for needle sizes 7 to 9, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ and $\frac{1}{2}$ in., for 211765 and 211766	1 25
212090	11905	Throat Plate, 53 needle hole, for needle sizes 1 to $3\frac{1}{2}$ , in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211711, for Machines Nos. 24 w 10 and 24 w 109	1 25
212920	---	Take-up Cam with 200335c and 200430c, for 203268	1 35
213001	11901	Arm Shaft, for Machines Nos. 24 w 5 and 24 w 6	1 85
213004	11902	Lifting Lever Driving Crank, for 213005	80
213005	11904	Take-up Cam complete, Nos. 204484, 213004 and 213925, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108	3 00
213010	11901	Arm Shaft, for Machines Nos. 24 w 107 and 24 w 108	2 00
213036	---	Hook Washer, for 203516	20
*213133	---	Bed, for 214055	---
*213134	---	" " 214056	---

No.	Plate	Name	Each
213141	11902	Hook Driving Shaft Collar with two 200393c	\$ 20
213154	12305	Hook Counter Shaft Driving Gear 203245 with 200045c and 203235	1 80
213604	---	Feed Driving Cam Fork Lever Slide Block with 200116c (obsolete), for 213606	---
213605	---	Feed Driving Cam Fork Lever Slide Block (obsolete), for 213606	---
213606	13041	Feed Driving Cam Fork Lever Slide Block 213604 with 213605 (obsolete)	30
213622	12333	Arm Shaft, for Machines Nos. 24 w 105, 24 w 106 and 24 w 109	2 00
213624	12333	Hook Driving Shaft, for Machines Nos. 24 w 105 to 24 w 109	1 75
213746	11901	Face Plate with 200366n, 202087, 204730, two each 200368n, 202090, 204281 and three 200397n, for 213747	1 10
213747	11901	Face Plate complete, Nos. 200577n, 202088, 203766, 204280, 213746, two each 200309n, 204059 and 204272, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108	3 50
213810	11903	Hook Bevel Gear Socket, 24 teeth, for 203518	85
213925	11904	Take-up Cam with 200347c, 200383c, 200387c, 200400c, 200430c and 204479, for 213005	1 75
*214055	---	Bed 213133 with 202062, 203248, 203249, two each 200362c, 200516n, 200840n and 202299, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 10	---
*214056	---	Bed 213134 with 202062, 203248, 203249, two each 200362c, 200516n, 200840n and 202299, for Machines Nos. 24 w 105 to 24 w 109	---
214424	12386	Feed Bar Spring	04
215609	---	Tension Release Slide, for 204268	18
*215610	---	Thread Controller Adjusting Collar, for 204273	10
215612	---	Vibrating Presser Bar (obsolete), for 204489	45
215628	---	Vibrating Presser Bar (obsolete), for 204488	45
221410	---	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge, Nos. 202090, 202923 and 221411, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 00
221411	---	Presser Foot Plate, for 221410	1 25
221343	11905	Throat Plate, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{5}{16}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 230983, for Machines Nos. 24w1, 24w4 to 24w6 and 24w105 to	



## Numerical List of Parts

No.	Plate	Name	Each
221412	---	Presser Foot Plate, for 221413 .....	\$ 1 2
221443	---	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{11}{16}$ in., in steps of $\frac{1}{16}$ in., Nos. 202090, 202923 and 221442, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	2 0
222301	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206668, 206675, 206678, 206714, 206719, 222302 and 222304 .....	1 50
222302	11839	Vibrating Presser Foot, for 206666, 206667, 206677, 222301 and 222303 ....	1 50
222303	11909	Lifting Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206668, 206675, 206678, 206714, 206719, 222302 and 222304 .....	1 50
222304	11839	Vibrating Presser Foot, for 206666, 206667, 206677, 222301 and 222303 ....	1 00
223900	---	Presser Foot Plate, for 223901 .....	1 75
223901	13085	Presser Foot (hinged) complete, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in $\frac{1}{8}$ in. gauge, Nos. 202090, 202923 and 223900, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	2 50
223902	12121	Throat Plate, 50 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 211006, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108 .....	1 50
223903	---	Presser Foot Plate, for 223904 .....	1 75
223904	11907	Presser Foot (hinged) complete, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., Nos. 202923, 223903 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	2 50
<i>Cancelled #</i> 224334	---	Feed Driving Cam Fork Lever Shaft Collar, for 204197 .....	---
225181	---	Drip Pan (long), with four wood screws $\frac{1}{2}$ in. No. 5, for Machines Nos. 24 w 105 to 24 w 109 .....	35
225191	---	Drip Pan with four wood screws $\frac{1}{2}$ in. No. 5, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 10 .....	30
225497	12345	Bobbin Case Screw Driver .....	10

## Numerical List of Parts

No.	Plate	Name	Each
225498	12345	Screw Driver, $7\frac{1}{4}$ in. long .....	\$ 15
225499	12345	Oiler Spout, 23 in. long, for 225500 .....	02
<del>225500</del>	12345	" with 225499 .....	10
225554	12345	Wrench (steel) .....	10
225585E	12319	Hook Saddle Screw Washer, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108 .....	02
225585H	12319	Machine Clamp Screw Washer, for 227488 .....	02
225667	11862	Strip Reel Disc Base Rivet, for 226198 and 226199 .....	01
225706	11853	Lap Seam Feller Base Plate Position Pin, for 226487 .....	01
225708B	11853	Lap Seam Feller Base Plate Spring....	10
225980	---	Strip Reel Disc Base, for 226198 and 226199 .....	10
226198	---	Strip Reel Disc (9 in. diam.), with 225980 and three <del>225667</del> for 227207 and 227212 .....	30
226199	---	Strip Reel Disc (6 in. diam.), with 225980 and three <del>225667</del> for 227212 .....	25
226467	11530	Shirt Facing Folder Bracket Lever Hinge Screw Spring Washer, for 231241 to 231243 and 231256 .....	05
226487	11910	Lap Seam Feller Base Plate with 225706 .....	60
226663	11853	" " " Clamp Washer .....	05
227108	11863	Strip Reel Support with two 200530c, for 227212 .....	60
227113	11863	Strip Reel Disc Rod (lower) with Strip Guide, for 227212 .....	20
227115	11863	Strip Reel Disc Rod (upper) with Strip Guide, for 227212 .....	20
227116	11862	Strip Reel Disc Rod Collar, for 227210.. Nos. 227203 to 227205, for 227207.	06
227203	11863	Strip Reel Supporting Rod Latch Bracket with two wood screws 1 in. No. 13....	15
227204	11863	Strip Reel Disc Rod .....	10
227205	11862	" " " " Clamp with two 200530c .....	20
227207	11863	Strip Reel complete, Nos. 227203 to 227205, 227214, 227215, 227223, 227224, two 227210 and four 226198 .....	2 50
227210	11862	Strip Reel Disc Rod Collar 227116 with 200731E and 227327, for 227207 and 227212 .....	20
227212	11863	Double Strip Reel complete, Nos. 200047E, 227108, 227113, 227115, two each 226198, 226199 and 227210 .....	2 50
227214	11863	Strip Reel Supporting Rod, for 227207..	25

## Numerical List of Parts

No.	Plate	Name	Eac
227215	11863	Strip Reel Supporting Rod Bracket (right), with two wood screws 1 in. No. 13, for 227207 .....	\$ 1
227223	11862	Strip Reel Supporting Rod Latch Bracket Spring (spiral), for 227207 .....	0
227224	11862	Strip Reel Supporting Rod Latch Bracket Spring Collar with 200380c, for 227207 .....	1
227302	11125	Knee Lifter Lifting Lever, for 227311....	1
227303	11125	" " " " " 227312..	1
227308	11125	Knee Lifter Connection Lever Lifting Rod with 202302, for 227311 and 227312 .....	0
227311	---	Knee Lifter Connection Lever 202445 with 200224r, 200262n, 227302 and 227308, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 10 .....	50
227312	---	Knee Lifter Connection Lever 202445 with 200224r, 200262n, 227303 and 227308, for Machines Nos. 24 w 105 to 24 w 109 .....	50
227327	11862	Strip Reel Disc Rod Tension Spring (spiral), for 227210 .....	02
227370	11126	Under Driver Cone Pulley (grooved) two speed, 4 $\frac{3}{4}$ in. and 5 $\frac{1}{2}$ in. belt diam., with 227553, for 227710 .....	1 35
227488	12345	Machine Clamp complete, Nos. 200748n, 201582b and 225585n .....	20
227522	12319	Bobbin Winder Stop Latch for 227523..	10
227523	12320	Bobbin Winder complete, Nos. 200056e, 200161e, 200221e, 201537n, 202470 to 202474, 202477, 202478, 227522, three 200299n and two round head wood screws 1 $\frac{1}{2}$ in. No. 14, for 227524 .....	1 35
227524	---	Bobbin Winder and Spool Holder complete, Nos. 202485 and 227523 .....	1 65
227553	12322	Under Driver Cone Pulley Ball Cup complete, Nos. 204100 to 204102 and thirteen 25362, for 202457 and 227370 .....	45
227734	11126	Under Driver Frame with 200524c, for 227738 and 227740 .....	80
227735	11126	Under Driver Lever Brake with 200524c, 204122 and two 200374c, for 227736....	35
227736	11126	Under Driver Lever Brake 227735 with 200082b and 227737, for 227738 and 227740 .....	60
227737	11126	Under Driver Lever Brake Belt Guard, for 227736 .....	20
227738	---	Under Driver Transmitter complete, Nos. 202457, 202459, 202461, 202463, 202464, 204113, 204123, 227734, 227736 and three wood screws 1 $\frac{3}{4}$ in. No. 15, for 227984. .	3 00

## Numerical List of Parts

No.	Plate	Name	Each
227740	---	Under Driver Transmitter complete, Nos. 202459, 202461, 202463, 202464, 204113, 204123, 227370, 227734, 227736 and three wood screws 1 $\frac{3}{4}$ in. No. 15, for 227985..	\$ 3 00
227743	---	Under Driver Driving Pulley Shaft (hollow), with 204109, 204110, 204112 and two 204111, for 202461 .....	60
227781	11125	Knee Lifter Rock Lever with 200522c and 200529c, for 227782 .....	35
227782	---	Knee Lifter Rock Lever 227781 with two each 202451 and 202452, for 227783 and 227787 .....	50
227783	11125	Knee Lifter Rock Lever 227782 with 202985 and 227784 .....	85
227784	11125	Knee Lifter Rock Lever Rod, 3 in. long, with 227785, for 227783 and 227787....	06
*227785	---	Knee Lifter Rock Lever Rod Cap or Oil Guard, for 227784 .....	---
227787	---	Knee Lifter Rock Lever 227782 with 202203 and 227784, for Machines Nos. 24 w 105 to 24 w 109 .....	90
227976	11126	Under Driver Treadle with 200540b, for 227977 .....	45
227977	11126	Under Driver Treadle 227976 with 227978, for 227981 .....	60
227978	11126	Under Driver Treadle Adjustable Connecting Slide, for 227977 .....	15
227980	11126	Under Driver Treadle Pitman complete, Nos. 204126 and two 202468, for 227982 .....	30
227981	---	Under Driver Treadle and Stand complete, Nos. 204127, 204128 and 227977, for 227982 .....	75
227982	---	Under Driver Treadle and Pitman complete, Nos. 227980 and 227981, for 227984 and 227985 .....	90
227984	---	Under Driver (ball bearing) lever pressure, right hand, two speed complete, Nos. 27070, 227738 and 227982, for Machines Nos. 24 w 1, 24 w 4, 24 w 10 24 w 105, 24 w 106 and 24 w 109 .....	4 00
227985	---	Under Driver (ball bearing) lever pressure, right hand, two speed complete, Nos. 27070, 227740 and 227982, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108 .....	4 00
229008	13085	Presser Foot, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{3}{8}$ , $\frac{7}{8}$ and $\frac{1}{2}$ in., for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	75

No.	Plate	Name	Each
229009	13085	Presser Foot, 50 needle hole, needles $\frac{1}{4}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{11}{32}$ , $\frac{3}{8}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	\$ 75
229092	13085	Presser Foot, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{11}{32}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	75
Nos. 229102 to 229107, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229102	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{32}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{32}$ inch .....	75
229103	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ inch .....	75
229104	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{11}{32}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ inch .....	75
229105	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{32}$ and $\frac{1}{2}$ inch .....	85
229106	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{32}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ inch .....	85
229107	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{5}{8}$ and $\frac{3}{4}$ inch .....	85
229164	—	Presser Foot Plate, for 229188 .....	1 75
Nos. 229167 to 229180, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229167	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{5}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{8}$ in., Nos. 202923, 229195 and 230795, for felling .....	2 50
229168	—	Presser Foot Plate, for 229169 .....	1 75
229169	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{5}{8}$ , $\frac{1}{2}$ , $\frac{3}{4}$ and $\frac{3}{8}$ in., Nos. 202923, 229168 and 230795, for felling .....	2 50
229171	—	Presser Foot Plate, for 229172 .....	1 00
229172	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{4}$ to $\frac{3}{8}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229171 and 230795 .....	1 75
229173	—	Presser Foot Plate, for 229174 .....	1 00

No.	Plate	Name	Each
229171	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{32}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229173 and 230795 .....	\$1 75
229175	—	Presser Foot Plate, for 229176 .....	1 00
229176	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{32}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229175 and 230795 .....	1 75
229177	—	Presser Foot Plate, for 229178 .....	1 10
229178	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{32}$ and $\frac{1}{2}$ in., Nos. 202923, 229177 and 230795 .....	1 85
229179	—	Presser Foot Plate, for 229180 .....	1 10
229180	12175	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{11}{32}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229179 and 230795 .....	1 85
229181	—	Presser Foot Plate, for 229935 .....	1 75
229188	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202926, 229164 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109 .....	2 50
Nos. 229191 to 229198, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229191	—	Presser Foot Plate, for 229192 .....	1 75
229192	13085	Presser Foot (hinged) complete, 50 needle hole, needles $\frac{3}{8}$ in. apart, for needle sizes 3 to 5, in gauges $\frac{11}{32}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202923, 229191 and 230795, for felling .....	2 50
229193	—	Presser Foot Plate, for 229194 .....	1 75
229194	13085	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229193 and 230795, for felling .....	2 50
229195	—	Presser Foot Plate, for 229167 .....	1 75
229197	—	" " " " 229198 .....	1 75
229198	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{11}{32}$ , $\frac{1}{2}$ , $\frac{5}{8}$ and $\frac{3}{4}$ in., Nos. 202923, 229197 and 230795, for felling .....	2 50
Nos. 229201 to 229204, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229201	—	Presser Foot Plate, for 229202 .....	1 75

No.	Plate	Name	Each
229202	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229201 and 230795, for felling	2 50
229203	---	Presser Foot Plate, for 229201	1 75
229204	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202923, 229203 and 230795, for felling	2 50
Nos. 229215 to 229228, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229215	---	Presser Foot Plate, for 229216	1 75
229216	13085	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202926, 229215 and 230795	2 50
229217	---	Presser Foot Plate, for 229218	1 75
229218	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202930, 229217 and 230795	2 50
229219	---	Presser Foot Plate, for 229220	1 75
229220	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges from $\frac{1}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., Nos. 202923, 229219 and 230795.	2 50
229221	---	Presser Foot Plate, for 229222	1 75
229222	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202923, 229221 and 230795	2 50
229223	---	Presser Foot Plate, for 229224	1 75
229224	13090	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202923, 229223 and 230795	2 50
229225	---	Presser Foot Plate, for 229226	1 75
229226	13091	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{1}{16}$ and $\frac{1}{8}$ in., Nos. 202923, 229225 and 230795	2 50
229227	---	Presser Foot Plate, for 229228	1 75
229228	13091	Presser Foot (hinged) complete, 38 needle hole, for needle sizes 9 to 12, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202923, 229227 and 230795	2 50

No.	Plate	Name	Each
Nos. 229241 to 229254, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229241	---	Presser Foot Plate, for 229242	\$1 15
229242	13092	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{2}$ in., Nos. 202090, 202923 and 229241	1 90
229243	---	Presser Foot Plate, for 229244	1 15
229244	13092	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202090, 202923 and 229243	1 90
229245	---	Presser Foot Plate, for 229246	1 15
229246	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ and $\frac{1}{8}$ in., Nos. 202090, 202923 and 229245	1 90
229247	---	Presser Foot Plate, for 229248	1 25
229248	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202090, 202923 and 229247	2 00
229249	---	Presser Foot Plate, for 229250	1 25
229250	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202090, 202923 and 229249	2 00
229253	---	Presser Foot Plate, for 229254	1 25
229254	13093	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{2}$ , and $\frac{3}{4}$ in., Nos. 202090, 202923 and 229253	2 00
229321	---	Presser Foot Plate, for 229322	1 75
229322	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202926, 229321 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50
229368	---	Presser Foot Plate, for 229369	1 75
229369	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{16}$ , $\frac{1}{8}$ and $\frac{3}{16}$ in., Nos. 202923, 229368 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50

## Numerical List of Parts

No.	Plate	Name	Eac
229559	13085	Presser Foot, 46 needle hole, needles $\frac{3}{16}$ in. apart, for needle sizes $\frac{3}{8}$ to $\frac{5}{8}$ in. gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	\$1 00
229560	—	Presser Foot Plate, for 229561	1 75
229561	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., Nos. 202926, 229560 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50
Nos. 229573 to 229578, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109.			
229573	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ inch	75
229575	13071	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{3}{8}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ inch	75
229577	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{3}{8}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{16}$ inch	85
229578	13072	Presser Foot, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge	85
229641	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for 206671	2 00
229642	14066	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ and $\frac{1}{2}$ in., for 206661	2 00
229645	14066	Vibrating Presser Foot, for 229970, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108	1 50
229646	14067	Lifting Presser Foot, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., for 206690	2 00
Nos. 229648 to 229658, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108.			
229648	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for 229649	2 50
229649	14067	Vibrating Presser Foot, for 206682 and 229648	1 50
229650	14067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 229651	2 00

## Numerical List of Parts

No.	Plate	Name	Each
229651	11067	Vibrating Presser Foot, for 229650 and 229658	\$ 1 50
229652	11067	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for 229653	2 50
229653	11067	Vibrating Presser Foot, for 229652 and 229667	1 50
229654	11068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., for 229655	3 00
229655	11068	Vibrating Presser Foot, for 229654	2 00
229656	11068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{1}{4}$ , $\frac{3}{8}$ , $\frac{1}{2}$ and $\frac{5}{8}$ in., for felling, for 206671	2 50
229657	11068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{3}{8}$ and $\frac{1}{2}$ in., for felling, for 206661	2 50
229658	11068	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for felling, for 229651	2 50
229667	11908	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., for felling, for 229653	3 00
229838	11902	Vibrating Presser Bar Position Stop, for Machines Nos. 24 w 5, 24 w 6, 24 w 107 and 24 w 108	50
229839	—	Presser Foot Plate, for 229840	1 75
229840	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202926, 229839 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50
229935	11907	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges $\frac{1}{8}$ , $\frac{1}{4}$ , $\frac{3}{8}$ and $\frac{1}{2}$ in., Nos. 202926, 229184 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50
229964	—	Presser Foot Plate, for 229965	1 75
229965	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in gauges from $\frac{1}{8}$ to $\frac{1}{4}$ in., in steps of $\frac{1}{16}$ in., Nos. 202930, 229964 and 230795, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50

No.	Plate	Name	Each
229970	11909	Lifting Presser Foot, 46 needle hole, for needle sizes 5 to 7, in $\frac{1}{4}$ in. gauge, for 229645 .....	\$ 2 00
230016	14530	Shirt Facing Folder Arm Bracket with 200174b, 200336b and 201537E, for 231241 to 231243 and 231256 .....	1 00
230017	14530	Shirt Facing Folder Bracket Lever, for folds from $\frac{3}{8}$ to $\frac{11}{16}$ in., for 231241 .....	75
230018	11910	Strip Folder (lower) with 230029, folds both edges of the under strip over, for 231282 to 231289 .....	4 50
230020	11910	Shirt Facing Folder (upper) with 230026, folds both edges of the upper strip under, for 231282 to 231285 .....	4 75
230021	11910	Strip Folder (lower) with 230031 and 230032, folds both edges of the under strip over, for 231290 to 231293 .....	5 00
230024	14530	Shirt Facing Folder Bracket Lever, for folds from 1 to $1\frac{1}{8}$ in., for 231242 .....	75
230025	14530	Shirt Facing Folder Bracket Lever, for folds from $1\frac{1}{8}$ to $2\frac{1}{8}$ in., for 231243 .....	75
*230026	---	Shirt Facing Folder Bracket, for 230020 .....	---
*230029	---	Strip Folder Shank, for 230018 .....	---
*230031	---	" " Cloth Guide, for 230021 .....	---
*230032	---	" " Shank, for 230021 .....	---
230035	11846	Lap Seam Feller on Shank (left hand). For corsets. Has a Separator which prevents the "turned in" edges from overlapping, for $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring .....	3 40
230036	11846	Lap Seam Feller on Shank (right hand). For corsets. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring .....	3 40
230037	11847	Lap Seam Feller on Shank (left hand). For corsets. Made extra short for small curves. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring .....	3 40

No.	Plate	Name	Each
230038	11847	Lap Seam Feller on Shank (right hand). For corsets. Made extra short for small curves. Has a Separator which prevents the "turned in" edges from overlapping. For $\frac{5}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M or MH material. Has no yielding spring .....	\$ 3 40
230039	11847	Lap Seam Feller on Shank (left hand), for $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L or M material. Has no yielding spring .....	3 40
230040	11848	Lap Seam Feller on Shank (right hand), for $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L or M material. Has no yielding spring .....	3 40
230041	11848	Lap Seam Feller on Shank (left hand), for $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For F, L, M or MH material. Has no yielding spring .....	3 40
230042	11848	Lap Seam Feller on Shank (right hand), for $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For F, L, M or MH material. Has no yielding spring .....	3 40
230043	11846	Lap Seam Feller on Shank (right hand), for $\frac{1}{4}$ to $\frac{3}{4}$ in. gauge machines. For H, XH, XXH or XXXH material. Has no yielding spring .....	3 40
230044	11849	Lap Seam Feller on Shank (left hand), for $\frac{1}{4}$ to $\frac{3}{4}$ in. gauge machines. For H, XH, XXH or XXXH material. Has no yielding spring .....	3 40
230045	11849	Lap Seam Feller on Shank (left hand), for $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For M, MH, H, XH, XXH, XXXH or XXXXH material. Has no yielding spring .....	3 40
230046	11850	Lap Seam Feller on Shank (right hand), for $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For M, MH, H, XH, XXH, XXXH or XXXXH material. Has no yielding spring .....	3 40
230047	11851	Lap Seam Feller on Shank (left hand). For general work. For $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring .....	3 40
230048	11851	Lap Seam Feller on Shank (right hand). For general work. For $\frac{1}{8}$ to $\frac{3}{4}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring .....	3 40

No.	Plate	Name	Each
230049	11850	Lap Seam Feller on Shank (left hand). Made short for felling curves. For $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring	3 4
230050	11852	Lap Seam Feller on Shank (right hand). Made short for felling curves. For $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring	3 4
230055	11851	Lap Seam Feller on Shank (left hand). For general work. For $\frac{1}{4}$ to $\frac{3}{4}$ in. gauge machines. For XII, XXII or XXXII material. Has yielding spring	3 4
230056	11852	Lap Seam Feller on Shank (right hand). For general work. For $\frac{1}{4}$ to $\frac{3}{4}$ in. gauge machines. For XII, XXII or XXXII material. Has yielding spring	3 40
230078	11853	Lap Seam Feller on Shank (left hand), for $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring	3 40
230079	11853	Lap Seam Feller on Shank (right hand), for $\frac{1}{8}$ to $\frac{5}{8}$ in. gauge machines. For F, L, M, MH or H material. Has yielding spring	3 40
230086	11860	Lap Seam Guide, for $\frac{3}{8}$ to $\frac{3}{4}$ in. gauge machines. For L, M, MH, H, XII, XXII, XXXII or XXXXII material	2 40
230102	11910	Shirt Facing Folder Bracket Lever, for folds from $2\frac{3}{4}$ in. or over, for 231256	75
230129	11860	Strip Presser Foot, in gauges from $\frac{1}{8}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., folds and lays a strip	2 50
230137	11860	Strip Presser Foot, in gauges from $\frac{1}{4}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., folds and lays a strip and inserts a puckering string at one operation	4 00
230138	11860	Strip Presser Foot, in gauges from $\frac{1}{8}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{8}$ in., folds and lays a strip	3 50
230795	11902	Presser Foot Hinge Pin, for 223904, 229167, 229169, 229172, 229174, 229176, 229178, 229180, 229188, 229192, 229194, 229198, 229202, 229204, 229216, 229218, 229220, 229222, 229224, 229226, 229228, 229322, 229369, 229561, 229840, 229935 and 229965	01

No.	Plate	Name	Each
30830	---	Presser Foot Plate, for 230831	\$1 75
30831	11908	Presser Foot (hinged) complete, 46 needle hole, for needle sizes 5 to 7, in $\frac{3}{8}$ in. gauge, Nos. 202090, 202923 and 230830, for felling, for Machines Nos. 24 w 1, 24 w 4, 24 w 10, 24 w 105, 24 w 106 and 24 w 109	2 50
30971	11905	Throat Plate, 50 needle hole, for needle sizes 3 to 5, in gauges $\frac{5}{8}$ , $\frac{3}{4}$ , $1\frac{1}{8}$ , $1\frac{3}{8}$ and $\frac{3}{4}$ in., for 230983, for Machines Nos. 24 w 1, 24 w 4 to 24 w 6 and 24 w 105 to 24 w 108	1 25
30983	11906	Feed Dog, for 230971	60
31241	11910	Shirt Facing Folder Arm Bracket complete, Nos. 200268B, 201531E, 226467, 230016, 230017, two each 200157B, 200164B and 201539E, for 231282, 231286 and 231290	2 25
231242	---	Shirt Facing Folder Arm Bracket complete, Nos. 200268B, 201531E, 226467, 230016, 230024, two each 200157B, 200164B and 201539E, for 231283, 231287 and 231291	2 25
231243	---	Shirt Facing Folder Arm Bracket complete, Nos. 200268B, 201531E, 226467, 230016, 230025, two each 200157B, 200164B and 201539E, for 231284, 231288 and 231292	2 25
231256	---	Shirt Facing Folder Arm Bracket complete, Nos. 200268B, 201531E, 226467, 230016, 230102, two each 200157B, 200164B and 201539E, for 231285, 231289 and 231293	2 25
231281	11910	Shirt Facing Folder (upper) with Interlining Guide, folds both edges of the upper strip under, for 231286 to 231293	5 75
231282	---	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $1\frac{1}{8}$ in., Nos. 230018, 230020 and 231241	11 50
231283	---	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{1}{8}$ in., Nos. 230018, 230020 and 231242	11 50
231284	---	Shirt Facing Folder and Bracket complete, for folds from $1\frac{1}{8}$ to $2\frac{1}{4}$ in., Nos. 230018, 230020 and 231243	11 50
231285	---	Shirt Facing Folder and Bracket complete, for folds $2\frac{1}{4}$ in. and wider, Nos. 230018, 230020 and 231256	11 50

No.	Plate	Name	Et
231286	----	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $\frac{31}{32}$ in., Nos. 230018, 231241 and 231281 .....	\$12
231287	----	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{13}{32}$ in., Nos. 230018, 231242 and 231281 .....	12
231288	----	Shirt Facing Folder and Bracket complete, for folds from $1\frac{7}{8}$ to $2\frac{11}{16}$ in., Nos. 230018, 231243 and 231281 .....	12
231289	----	Shirt Facing Folder and Bracket complete, for folds $2\frac{11}{16}$ in. and wider, Nos. 230018, 231256 and 231281 .....	12
231290	----	Shirt Facing Folder and Bracket complete, for folds from $\frac{3}{4}$ to $\frac{31}{32}$ in., Nos. 230021, 231241 and 231281 .....	13 0
231291	----	Shirt Facing Folder and Bracket complete, for folds from 1 to $1\frac{13}{32}$ in., Nos. 230021, 231242 and 231281 .....	13 0
231292	----	Shirt Facing Folder and Bracket complete, for folds from $1\frac{7}{8}$ to $2\frac{11}{16}$ in., Nos. 230021, 231243 and 231281 .....	13 0
231293	----	Shirt Facing Folder and Bracket complete, for folds $2\frac{11}{16}$ in. and wider, Nos. 230021, 231256 and 231281 .....	13 0
231383	11903	Needle Holder, in gauges from $\frac{3}{16}$ to $\frac{1}{2}$ in., in steps of $\frac{1}{32}$ in., with 201030r and two 200141r .....	1 2
231385	11903	Needle Holder, in gauges from $\frac{13}{32}$ to $\frac{3}{4}$ in., in steps of $\frac{1}{32}$ in., with 201030r and two 200141r .....	1 5
231388	11903	Needle Holder, needles $\frac{3}{16}$ in. apart and must be set diagonally, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ and $\frac{1}{4}$ in., with 201030r and two 200141r .....	1 00
231389	11903	Needle Holder, needles $\frac{1}{4}$ in. apart and must be set diagonally, in gauges $\frac{1}{8}$ , $\frac{3}{16}$ , $\frac{1}{4}$ and $\frac{5}{16}$ in., with 201030r and two 200141r .....	1 00
231390	11904	Needle Bar (hollow) .....	80



PLATE 10483-FULL SIZE

ILLUSTRATIONS




PLATE 10278—ONE-FOURTH SIZE




PLATE 11125 —ONE—FOURTH SIZE




PLATE 11126—ONE-SIXTH SIZE




PLATE 11235—FULL SIZE






PLATE 11236-ONE-HALF SIZE


203518



203518



203508



203512



203519

№ 9 OUTFIT

203499 203506 203516 203516



203470



203500



203478




203241




PLATE 11839-FULL SIZE


206670




206675



206678



206661




206690



206671



206668




206710




206713



206714



206719



222302



222304




PLATE 11846 -FULL SIZE




PLATE 11847 -FULL SIZE





PLATE 11848 -FULL SIZE

230040



230041



230042





PLATE 11849 -FULL SIZE

230044



230045





PLATE 11850 -FULL SIZE

230046



230049





PLATE 11851 -FULL SIZE

230048



230047



230055





PLATE 11852 -FULL SIZE

230050



230056





PLATE 11853 -FULL SIZE


230078



225708



230079



200246



226663



200160




225706






PLATE 11860-FULL SIZE


230086



230137



230129



230138




PLATE 11862-FULL SIZE

225867



227205



200530



227116




227210



200731



227327



227224



200380



597

200017



200540



PLATE 11863-ONE-FOURTH SIZE




PLATE 11901-ONE-FOURTH SIZE




PLATE 11902 -FULL SIZE




PLATE 11903 -FULL SIZE




PLATE 11904 -ONE-HALF SIZE




PLATE 11905 -FULL SIZE




PLATE 11906-FULL SIZE




PLATE 11907-FULL SIZE




PLATE 11908 -FULL SIZE




229202



229204



229840






229561




229965



230831



229667



206682





PLATE 11909 -FULL SIZE

206658



206666



206669



206708



206677

206667

206720

206709

206711

206712



222301



222303



229970



PLATE 11910 -ONE-HALF SIZE




PLATE 11911 -FULL SIZE





PLATE 12104-FULL SIZE


211765



211766



211769



211770





PLATE 12121-FULL SIZE


211858



211858



223902



211006



211860  
211981  
211989



211011



211861






PLATE 12122-FULL SIZE

211021  
211047




211865




211866



211867  
211868



211869




211031  
211032  
211912




PLATE 12123-FULL SIZE

211019




211020




211873

211025  
211026



211871

211872



211012  
211013





PLATE 12136-FULL SIZE


212051  
212052  
212090




212053  
212054




212055  
212056  
212057



212058  
212059  
212060



212061  
212062  
212063



212064  
212065  
212066






PLATE 12175-FULL SIZE


229174




229176



229180



229178



229172




PLATE 12305-FULL SIZE




PLATE 12306-FULL SIZE




PLATE 12307-FULL SIZE




PLATE 12308-FULL SIZE




PLATE 12309—FULL SIZE




PLATE 12310—FULL SIZE




PLATE 12311-FULL SIZE




PLATE 12312-FULL SIZE




PLATE 12319 - FULL SIZE




PLATE 12320 - ONE-HALF SIZE




PLATE 12321-FULL SIZE




PLATE 12322-FULL SIZE









PLATE 12335-FULL SIZE

203307



203308




PLATE 12338-FULL SIZE

200002



200027



200243



200045



200157



200363



201522



201524



204326

202036

204555




PLATE 12345—ONE-HALF SIZE




PLATE 12386—FULL SIZE




PLATE 13041-FULL SIZE




PLATE 13071-FULL SIZE




PLATE 13072-FULL SIZE




PLATE 13085-FULL SIZE





PLATE 13090—FULL SIZE





229220




229220




229222



229224



229224



229222






PLATE 13091—FULL SIZE


229226



229226



229228



229228




PLATE 13092-FULL SIZE




PLATE 13093-FULL SIZE






PLATE 14066—FULL SIZE

229641



229642



229645




PLATE 14067—FULL SIZE


229646



229648



229650




229651



229649



229652




229653





PLATE 14068-FULL SIZE

229654




229655



229656



229657



229658




PLATE 14530-FULL SIZE

200157



200268



200164



200336



201531



201537




200174



226467



230016



230017

230024

230025

