


SINGER
95K30

LIST OF PARTS

FOR

No. 95K30
MACHINE



THE SINGER MANUFACTURING COMPANY.

PARTS COMPLETE
FOR
No. 95K30 MACHINE



For Thread Drawing. No Needles.

No.						
*99101	Arm with two 56015	(SK20022)
16532	" Dowel Pin
24131	" Oil Tube with 24500 ⁵²⁰⁴⁵ for oiling	24036
52084	" " " " 24500 ⁵²⁰⁴⁵ " "	24040
52045 24500	" " " " 24500 ⁵²⁰⁴⁵ Packing (Felt)	
116e	" Screw (back)
868e	" " (front)
99437	" Shaft (horizontal)
52059	" " (") Flanged Bushing (back)
52045 56006	" " (") " " (") Oil Pad	
						(Braided Cotton) ^{Cotton Wick} 1/29
446c	" " (") " " (") Set Screw
52078	" " (") " " (front)
52045 56006	" " (") " " (") Oil Pad	
						(Braided Cotton) ^{Cotton Wick} 1/29
435c	" " (") " " (") Set Screw
52060	" " (") Gear with two 1036c
52071	" " (") " " Case (two pieces) with 121e and 50234d
50234d	" " (") " " Plug Screw
121e	" " (") " " Screw
1036c	" " (") " " Set Screw
144d	" " (") Screw
52062	" " (upright)
56099	" " (") Bushing (lower)
432c	" " (") " " (") Set Screw
56100	" " (") " " (upper)
1149c	" " (") " " (") Set Screw
56013	" " (") Gear (lower) with two 1253c
1253c	" " (") " " (") Set Screw
56101	" " (") " " (upper) with two 1253c
1253c	" " (") " " (") Set Screw
56015	" " (") Oil Tube (lower)
56015	" " (") " " (upper)
54897	" " Front Bearing Oil Cup
12193	" Side Cover
50053d	" " " Thumb Screw

No.					
52081	Balance Wheel	(stand) heavy rim, 2 1/8" Pulley, with two 448c	
52005	"	" (power) light rim, 2 3/8" pulley, with two 448c	
52063	"	" Oil Cover	
210d	"	" " " Screw	
448c	"	" " Set Screw	
*99402	Bed	(SK20023)
99403	"	Slide	(SK20024)
99404	"	" 99403 with 662d and 19147	(SK20025)
19147	"	" Spring	
662d	"	" " Screw	
99405	Face Plate	(SK20026)
217d	"	" " Screw (3)	
99406	Feed Bar	(SK20027)
313c	"	" " Screw Centre	
1519e	"	" " " Nut	
3033	Feed Connecting Link	
375c	"	" " Hinge Screw	
1518e	"	" " " Nut	
52073	"	" " " Stud	
50083c	"	" " " Set Screw	
99407	Feed Dog with 19118	(SK20028)
191c	"	" " Screw	
19116	"	" " Spring	
19117	"	" " " Hook	for 19120
99408	Feed and Feed Lifting Eccentric with 448c	(SK20029)
448c	"	" " " " Set Screw	
24036	"	" " " " Sleeve	
24037	Feed Forked Connection	
375c	"	" " " Hinge Screw	
1518e	"	" " " " Nut	
99409	Feed Lifting Rock Shaft	(SK20030)
99410	"	" " " " complete, Nos. 19120 and 99409	(SK20031)
12430	"	" " " " Connecting Rod with 12204 and two 966e	
*12204	"	" " " " " Cap	
966e	"	" " " " " " Screw	
375c	"	" " " " " " Hinge Screw	
1518e	"	" " " " " " " Nut	
19120	"	" " " " " Crank with 157 ^c , 19117, 19121 and 19122	12/29
157 ^c	"	" " " " " Clamping Screw	
19118	Feed Dog	Spring Hook for 99407	5/27

No.					
19121	Feed Lifting Rock Shaft	Crank Roller	
19122	"	" " " " " " Pin	
50191c	"	" " " " " Screw Centre	
1513j	"	" " " " " Nut	
52074	Feed Regulator with 50083c	
1128e	"	" " Hinge Screw	
818d	"	" " Thumb Screw	
52068	Feed Rock Shaft	
52069	"	" " " complete, Nos. 29633 and 52068	
29633	"	" " " Crank with 157 ^c	12/29
157 ^c	"	" " " " Clamping Screw	12/24
50191c	"	" " " " Screw Centre	
1513j	"	" " " " " Nut	
99411	Guide Adjustable Rod	(SK20168)
99412	"	" " " Indicator	(SK20169)
207d	"	" " " " Screw	
1191d	"	" " " " Thumb Screw	
27795	"	" " " " " Pad	
99413	"	Bracket	(SK20170)
164d	"	" " Screw	
99414	"	Strip	(SK20171)
99415	"	" " Bracket	(SK20172)
453c	"	" " " Screw	
190f	"	" " " Screw	
99416	Guide, complete, Nos. 207d, 453c, 1191d, 27795, 99411 to 99415, two each 164d and 190f	(SK20173)
12391	Presser Bar (hollow)	
99417	"	" " Guide Bracket with 223c and 453c	(SK20034)
453c	"	" " " " Set Screw	
52016	"	" " Lifter	
689c	"	" " " Screw	
1520r	"	" " " " Nut	
12327	"	" " " Lifting Lever Bracket	
11167	"	" " Spring	
11170	"	" " " Washer	
99418	Presser Foot (left)	(SK20035)
50111e	"	" " (") Hinge Screw	
99419	"	" " (right)	(SK20036)
50111e	"	" " (") Hinge Screw	
22162	"	" " Bracket	
99420	"	" " Shank (left)	(SK20037)
99421	"	" " " (right)	(SK20038)
22166	"	" " " Cap with 2113	

No.						
2113	Presser	Foot Shank Cap Position Pin
190d	"	" " " " Screw
22167	"	" " " Hinge Connection
99422	"	" " complete, Nos. 190d, 22162, 22166, 22167, 99418 to 99421 and two 50111e	(SK20039)
190d	"	" " Screw
688j	Pressure Regulating	Thumb Screw
* 99423	Punch (Serrated)	<i>obsolete, use 99447</i>	(SK20032) 7/29
99424	"	Bar (hollow) with 857h	(SK20033)
52014 52305	"	" Bushing (lower) with 29532	7/27
1133e	"	" " (") Set Screw
52014	"	" " (upper)
1133e	"	" " (") Set Screw
24040	"	" Connecting Link with 794e
794e	"	" " Adjusting Screw
24041	"	" " Stud with 207e
207e	"	" " Clamping Screw
99425	"	" Crank, with 743c, 858c and 1036c
99438	"	" " complete, Nos. 99425, 99439 and two 161c
99439	"	" " Eccentric
94548	"	" " Oil Cup
161e	"	" " Screw
743c	"	" " Position Screw
858c	"	" " Set Screw
99426	"	" " Stud
1036c	"	" " Set Screw
29532	"	" " Oil Cup
857h	"	" Set Screw
* 99427	Rotating Knife (Adjustable)	(SK20365)
99440	"	" Adjuster	(SK20366)
21202	"	" " Friction Washer
99428	"	" Holder	(SK20041)
1147c	"	" " Screw (2)
99429	"	" " Shaft	(SK20042)
56106	"	" " Bushing (back)
52045	"	" " " (") Packing (Cotton)
1143c	"	" " " (") Set Screw
99430	"	" " " (front)	(SK20043)
52045	"	" " " (") Packing (Cotton)
1148c	"	" " " (") Set Screw
56013	"	" " Gear with two 1253c
52072	"	" " Case (two pieces) with 121e and 50234d
50234d	"	" " " " " Plug Screw
121e	"	" " " " " Screw
* 99447	Punch (stepped, 3/8" wide)	7/29
+ 54897	Rotating Knife Holder Shaft Front Bearing Oil Cup	10/29
24894	—	Punch Bar Connecting Link 24040 with 24011	10/29

No.						
1253c	Rotating Knife	Holder Shaft Gear Set Screw
1094d	"	" " Screw
99431	Throat Plate	(SK20044)
691f	"	" " Screw (+)
99432	Work Stretching Plunger (left)	(SK20045)
230d	"	" " (") Screw
99433	"	" " (right)	(SK20046)
230d	"	" " (") Screw
99434	"	" " Bar with 2301	(SK20048)
24431	"	" " Driving Crank with 191c
99441 1162c	"	" " " " Coupling Pin	7/28
1564d	"	" " " " " Head
2297	"	<i>obsolete</i> " " " " Spring	"
2022	"	" " " " Pin
191c	"	<i>obsolete</i> " " " " Set Screw
99446	Work Stretching Plunger Bar Driving Crank Bracket, complete, Nos. 1564d, 16564, 24431, 99441 to 99445 and two 2022
9/28						
99442	Work Stretching Plunger Bar Driving Sleeve with 191c
99443	"	" " " " " Eccentric Connection
99444	"	" " " " " Oil Cap with two 237d and 24432
237d	"	" " " " " Set Screw	v (2) ...
2022	"	" " " " " Pin	(SK20047)
191c	"	" " " " " Set Screw
99445	"	" " " " " Shaft
24079	Drip Pan, with four Wood Screws 1/2" No. 5

ACCESSORIES

No.						
36569	Oiler with 36571
36570	" 36569, filled with Oil
36571	" Spout, 1 1/4" long
25537	Screw Driver (large)

